

Mouse Glucocorticoid Receptor Alpha (GRa) ELISA Kit | GRa elisa kit

Mouse Glucocorticoid Receptor Alpha (GRa) ELISA Kit

CATALOG #
AAA20587

REACTIVITY
Mouse


PRODUCT SYNONYMS

Glucocorticoid Receptor Alpha (GRa); Mouse Glucocorticoid Receptor Alpha (GRa) ELISA Kit; GR-A; GRa elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of GRa. No significant cross-reactivity or interference between GRa and analogues was observed.
Sequence Length	777
Assay Type	Quantitative Sandwich
Samples	Mouse tissue homogenates, cell lysates and other biological fluids
Detection Range	0.312-20ng/mL
Sensitivity	< 0.119ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level GRa were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level GRa were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for GRa elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to GRa. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to GRa. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain GRa, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of GRa in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of GRa in mouse tissue homogenates, cell lysates and other biological fluids.
Product Categories/Family for GRa elisa kit	Signal transduction; Metabolic pathway; Endocrinology; Hormone metabolism

NCBI AND UNIPROT INFORMATION

NCBI GI #	4504133
NCBI GeneID	2908
NCBI Accession #	NP_000167.1
NCBI GenBank Nucleotide #	NM_000176.2
Molecular Weight	82,904 Da
NCBI Official Full Name	glucocorticoid receptor isoform alpha
NCBI Official Synonym Full Names	nuclear receptor subfamily 3, group C, member 1 (glucocorticoid receptor)
NCBI Official Symbol	NR3C1
NCBI Official Synonym Symbols	GR; GCR; GRL; GCCR; GCRST
NCBI Protein Information	glucocorticoid receptor
UniProt Protein Name	Glucocorticoid receptor
UniProt Gene Name	NR3C1
UniProt Synonym Gene Names	GRL; GR
UniProt Entry Name	GCR_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.