

Canine Glucose Transporter 4 (GLUT4) ELISA Kit | GLUT4 elisa kit

Canine Glucose Transporter 4 (GLUT4) ELISA Kit

CATALOG #
AAA20656

REACTIVITY
Canine


PRODUCT SYNONYMS

Glucose Transporter 4 (GLUT4); Canine Glucose Transporter 4 (GLUT4) ELISA Kit; SLC2A4; Solute carrier family 2; facilitated glucose transporter member 4; Glucose transporter type 4; insulin-responsive; GLUT4 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Canine
Specificity	This assay has high sensitivity and excellent specificity for detection of GLUT4. No significant cross-reactivity or interference between GLUT4 and analogues was observed.
Sequence Length	174
Assay Type	Quantitative Sandwich
Samples	Canine tissue homogenates, cell lysates and other biological fluids
Detection Range	0.312-20ng/mL
Sensitivity	< 0.113ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level GLUT4 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level GLUT4 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for GLUT4 elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to GLUT4. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to GLUT4. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain GLUT4, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of GLUT4 in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of GLUT4 in canine tissue homogenates, cell lysates and other biological fluids.
Product Categories/Family for GLUT4 elisa kit	Signal transduction; Metabolic pathway; Endocrinology; Cardiovascular biology

NCBI AND UNIPROT INFORMATION

NCBI GI #	4261780
NCBI GeneID	396754
UniProt Accession #	Q9XT10
Molecular Weight	18,208 Da
NCBI Official Full Name	glucose transporter 4, partial
NCBI Official Symbol	SLC2A4
NCBI Official Synonym Symbols	GLUT4
NCBI Protein Information	solute carrier family 2, facilitated glucose transporter member 4
UniProt Protein Name	Solute carrier family 2, facilitated glucose transporter member 4
UniProt Gene Name	SLC2A4
UniProt Synonym Gene Names	GLUT4; GLUT-4
UniProt Entry Name	GTR4_PIG

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.