

Rabbit anti-Human, Mouse UNK Polyclonal Antibody | anti-UNK antibody

Rabbit anti-UNK Antibody, Affinity Purified

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA212879	Rabbit	Human, Mouse	Immunoprecipitation, Western Blot


PRODUCT SYNONYMS

UNK; Polyclonal Antibody; Rabbit anti-UNK Antibody; Affinity Purified; RING finger protein unkempt homolog; UNKEMPT; unkempt homolog; ZC3H5; ZC3HDC5; zinc finger CCCH domain-containing protein 5; zinc finger CCCH-type containing 5; zinc finger CCCH-type domain containing 5; unkempt family zinc finger; anti-UNK antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid. Whole IgG. Tris-citrate/phosphate buffer, pH 7 to 8 containing 0.09% Sodium Azide
Concentration	1000ug/ml (varies by lot)
Applicable Applications for anti-UNK antibody	IP (Immunoprecipitation), WB (Western Blot)
Immunogen	Between 760 and C-terminus
Conjugation	Unconjugated
Preparation and Storage	Store at 2-8 degree C Shelf Life: 1 year from date of receipt

IMAGES



WB (Western Blot)

Detection of human and mouse UNK by western blot. Samples: Whole cell lysate (50 ug) from HeLa, HEK293T, Jurkat, mouse TCMK-1, and mouse NIH 3T3 cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-UNK antibody AAA212879 (lot AAA212879-1) used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.



IP (Immunoprecipitation)

Detection of human UNK by western blot of immunoprecipitates. Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from 293T cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-UNK antibody AAA212879 (lot AAA212879-1) used for IP at 6 ug per reaction. UNK was also immunoprecipitated by rabbit anti-UNK antibody BL18187. For blotting immunoprecipitated UNK, AAA212879 was used at 0.4 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.

ADDITIONAL INFORMATION

Related Product Information for anti-UNK antibody	Unkempt homolog (UNK) belongs to the unkempt family of proteins [taken from the Universal Protein Resource (UniProt) www.uniprot.org/uniprot/Q9C0B0].
Product Categories/Family for anti-UNK antibody	Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	331028525
NCBI GeneID	85451
NCBI Accession #	NP_001073888.2
NCBI GenBank Nucleotide #	NM_001080419.2
UniProt Accession #	Q9C0B0
Molecular Weight	88,084 Da
NCBI Official Full Name	RING finger protein unkempt homolog
NCBI Official Synonym Full Names	unkempt family zinc finger
NCBI Official Symbol	UNK
NCBI Official Synonym Symbols	ZC3H5; ZC3HDC5
NCBI Protein Information	RING finger protein unkempt homolog; zinc finger CCCH-type containing 5; zinc finger CCCH type domain containing 5; zinc finger CCCH-type domain containing 5; zinc finger CCCH domain-containing protein 5
UniProt Protein Name	RING finger protein unkempt homolog
UniProt Gene Name	UNK
UniProt Synonym Gene Names	KIAA1753; ZC3H5; ZC3HDC5
UniProt Entry Name	UNK_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/unk-antibody-immunoprecipitation-western-blot-elisa/212879>