

Rabbit anti-Human DNA-PKcs Polyclonal Antibody | anti-DNA-PKcs antibody

Rabbit anti-DNA-PKcs IHC Antibody, Affinity Purified

CATALOG # AAA213752	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

DNA-PKcs; Polyclonal Antibody; Rabbit anti-DNA-PKcs IHC Antibody; Affinity Purified; hyper-radiosensitivity of murine scid mutation; complementing 1; IMD26; XRCC7; protein kinase; DNA-activated; catalytic polypeptide; p350; HYRC1; HYRC; DNA-PKC; DNA-dependent protein kinase catalytic subunit; DNAPKc; p460; DNA-PK catalytic subunit; DNAPK; DNP1K1; catalytic subunit; anti-DNA-PKcs antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid. Whole IgG. Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide
Concentration	250ug/ml (varies by lot)
Applicable Applications for anti-DNA-PKcs antibody	IHC (Immunohistochemistry)
Predicted Reactivity	Monkey, Crab-eating macaque, Northern white-cheeked gibbon
Immunogen	Between 2100 and 2150
Conjugation	Unconjugated
Preparation and Storage	Store at 2-8 degree C Shelf Life: 1 year from date of receipt

IMAGES



IHC (Immunohistochemistry)

Detection of human DNA-PKcs by immunohistochemistry. Sample: FFPE section of prostate adenocarcinoma. Antibody: Affinity purified rabbit anti-DNA-PKcs (Cat. No. AAA213752) used at a dilution of 1:250. Detection: DAB



IHC (Immunohistochemistry)

Detection of human DNA-PKcs by immunohistochemistry. Sample: FFPE section of human lung adenocarcinoma. Antibody: Affinity purified rabbit anti-DNA-PKcs (Cat. No. AAA213752) used at a dilution of 1:250. Detection: DAB

ADDITIONAL INFORMATION

Related Product Information for anti-DNA-PKcs antibody	DNA-PKcs is the catalytic subunit of a DNA-dependent serine-threonine protein kinase (DNA-PK). DNA-PK is a heterotrimer comprised of DNA-PKcs and the Ku709/Ku86 dimer. DNA-PK is involved in DNA damage repair and V(D)J recombination. DNA-PK phosphorylates Artemis, a protein required for nonhomologous end-joining and is necessary for the loading of Artemis on damaged DNA.
Product Categories/Family for anti-DNA-PKcs antibody	Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	13654237
NCBI GeneID	5591
NCBI Accession #	NP_008835.5
NCBI GenBank Nucleotide #	NM_006904.6
UniProt Accession #	P78527; P78528; Q13327; Q13337; Q14175; Q59H99; Q7Z611; Q96SE6; Q9UME3
Molecular Weight	465,501 Da
NCBI Official Full Name	DNA-dependent protein kinase catalytic subunit isoform 1
NCBI Official Synonym Full Names	protein kinase, DNA-activated, catalytic polypeptide
NCBI Official Symbol	PRKDC
NCBI Official Synonym Symbols	HYRC; p350; DNAPK; DNPk1; HYRC1; IMD26; XRCC7; DNA-PKcs
NCBI Protein Information	DNA-dependent protein kinase catalytic subunit; p460; DNA-PK catalytic subunit; hyper-radiosensitivity of murine scid mutation, complementing 1
UniProt Protein Name	DNA-dependent protein kinase catalytic subunit
UniProt Gene Name	PRKDC
UniProt Synonym Gene Names	HYRC; HYRC1; DNA-PK catalytic subunit; DNA-PKcs
UniProt Entry Name	PRKDC_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/dna-pkcs-antibody-immunohistochemistry-elisa/213752>