

Rabbit anti-Human, Mouse GAPDH Polyclonal Antibody | anti-GAPDH antibody

Rabbit anti-GAPDH IHC Antibody, Affinity Purified

CATALOG # AAA213793	HOST Rabbit	REACTIVITY Human, Mouse	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	-----------------------------------	---


PRODUCT SYNONYMS

GAPDH; Polyclonal Antibody; Rabbit anti-GAPDH IHC Antibody; Affinity Purified; Gapd; glyceraldehyde-3-phosphate dehydrogenase; peptidyl-cysteine S-nitrosylase
GAPDH; Glyceraldehyde-3-phosphate dehydrogenase; anti-GAPDH antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Purity/Purification	Antigen Affinity Purified
Form/Format	Liquid. Whole IgG. Tris-buffered Saline containing 0.1% BSA and 0.09% Sodium Azide
Concentration	250ug/ml (varies by lot)
Applicable Applications for anti-GAPDH antibody	IHC (Immunohistochemistry)
Predicted Reactivity	Rat, Chinese hamster, Mongolian jird
Immunogen	Between 225 and 275
Conjugation	Unconjugated
Preparation and Storage	Store at 2-8 degree C Shelf Life: 1 year from date of receipt

IMAGES



IHC (Immunohistochemistry)

Detection of human GAPDH by immunohistochemistry. Sample: FFPE section of human ovarian carcinoma. Antibody: Affinity purified rabbit anti-GAPDH (Cat. No. AAA213793) used at a dilution of 1:500. Detection: DAB staining using anti-rabbit IHC antibody (Cat. No. at a dilution of 1:100.



IHC (Immunohistochemistry)

Detection of mouse GAPDH by immunohistochemistry. Sample: FFPE section of mouse squamous cell carcinoma. Antibody: Affinity purified rabbit anti-GAPDH (Cat. No. AAA213793) used at a dilution of 1:100. Detection: DAB

ADDITIONAL INFORMATION

Related Product Information for anti-GAPDH antibody	In the process of carbohydrate metabolism, GAPDH (glyceraldehydes-3-phosphate dehydrogenase) catalyzes the oxidative phosphorylation of glyceraldehydes-3-phosphate to 1,3-diphosphoglycerate in the presence of nicotinamide adenine dinucleotide (NAD) and inorganic phosphate. In addition to its role in the oxidation of glucose, GAPDH has been shown to be involved in other cellular processes such as vesicle transport, DNA repair, DNA replication, cytoskeletal modulation, and tRNA export.
Product Categories/Family for anti-GAPDH antibody	Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	6679937
NCBI GeneID	14433
NCBI Accession #	NP_032110.1
NCBI GenBank Nucleotide #	NM_008084.3
UniProt Accession #	P16858; Q0QEU0; Q3THM2; Q3TUI2; Q3UMT2; Q4V783; Q569X2; Q569X5; Q5U410; A6H6A8
Molecular Weight	35,810 Da
NCBI Official Full Name	glyceraldehyde-3-phosphate dehydrogenase isoform 2
NCBI Official Synonym Full Names	glyceraldehyde-3-phosphate dehydrogenase
NCBI Official Symbol	Gapdh
NCBI Official Synonym Symbols	Gapd
NCBI Protein Information	glyceraldehyde-3-phosphate dehydrogenase
UniProt Protein Name	Glyceraldehyde-3-phosphate dehydrogenase
UniProt Gene Name	Gapdh
UniProt Synonym Gene Names	Gapd; GAPDH
UniProt Entry Name	G3P_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/gapdh-antibody-immunohistochemistry-elisa/213793>