

Human MMP-3 ELISA Kit | MMP-3 elisa kit

Human MMP-3 (Matrix Metalloproteinase 3) ELISA Kit

CATALOG #
AAA21419

REACTIVITY
Human


PRODUCT SYNONYMS

MMP-3; Human MMP-3 (Matrix Metalloproteinase 3) ELISA Kit; MMP-3 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This kit recognizes Human MMP-3 in samples. No significant cross-reactivity or interference between Human MMP-3 and analogues was observed.
Sequence Length	145
Samples	Serum, plasma and other biological fluids
Assay Type	Quantitative Sandwich
Detection Range	0.16-10ng/mL
Sensitivity	0.1ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, mid range and high level Human MMP-3 were tested 20 times on one plate, respectively.
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, mid range and high level Human MMP-3 were htested on 3 different plates, 20 replicates in each plate.
Preparation and Storage	Store at 4 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MMP-3 elisa kit	Intended Uses: This ELISA kit applies to the in vitro quantitative determination of Human MMP-3 concentrations in serum, plasma and other biological fluids. Principle of the Assay: This ELISA kit uses the Sandwich-ELISA principle. The micro ELISA plate provided in this kit has been pre-coated with an antibody specific to Human MMP-3. Standards or samples are added to the micro ELISA plate wells and combined with the specific antibody. Then a biotinylated detection antibody specific for Human MMP-3 and Avidin-Horseradish Peroxidase (HRP) conjugate are added successively to each micro plate well and incubated. Free components are washed away. The substrate solution is added to each well. Only those wells that contain Human MMP-3, biotinylated detection antibody and Avidin-HRP conjugate will appear blue in color. The enzyme-substrate reaction is terminated by the addition of stop solution and the color turns yellow. The optical density (OD) is measured spectrophotometrically at a wavelength of 450 nm +/- 2 nm. The OD value is proportional to the concentration of Human MMP-3. You can calculate the concentration of Human MMP-3 in the samples by comparing the OD of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	8176609
NCBI GeneID	281309
Molecular Weight	16,673 Da
NCBI Official Full Name	MMP-3, partial
NCBI Official Synonym Full Names	matrix metalloproteinase 3 (stromelysin 1, progelatinase)<
NCBI Official Symbol	MMP3
NCBI Protein Information	stromelysin-1; metalloproteinase 3 receptor
UniProt Protein Name	MMP-3
UniProt Gene Name	bmmp-3
UniProt Entry Name	Q9N283_BOVIN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.