

Rabbit S100B Monoclonal Antibody | anti-S100B antibody

S100B (Astrocyte and Melanoma Marker)

CATALOG # AAA214513	HOST Rabbit	REACTIVITY Human, Mouse, Rat, Cow. Others not known.	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	--	---



PRODUCT SYNONYMS

S100B; Monoclonal Antibody; S100B (Astrocyte and Melanoma Marker); NEF; Protein S100-B; S-100 protein beta chain; S100 calcium binding protein beta (neural); S100 calcium-binding protein B; S100 protein beta chain; S100beta; anti-S100B antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat, Cow. Others not known.
Clonality	Monoclonal
Isotype	IgG
Clone Number	S100B/1706R
Specificity	S100 belongs to the family of calcium binding proteins. S100A and S100B proteins are two members of the S100 family. S100A is composed of an alpha and a beta chain whereas S100B is composed of two beta chains. This antibody is specific against an epitope located on the beta-chain (i.e. in S-100A and S-100B) but not on the alpha-chain of S-100 (i.e. in S-100A and S100A0). This antibody can be used to localize S-100A and S-100B in various tissue sections. S-100 protein has been found in normal melanocytes, Langerhans cells, histiocytes, chondrocytes, lipocytes, skeletal and cardiac muscle, Schwann cells, epithelial and myoepithelial cells of the breast, salivary and sweat glands, as well as in glial cells. Neoplasms derived from these cells also express S-100 protein, albeit non-uniformly. A large number of well-differentiated tumors of the salivary gland, adipose and cartilaginous tissue, and Schwann cell-derived tumors express S-100 protein. Almost all malignant melanomas and cases of histiocytosis X are positive for S-100 protein.
Form/Format	200ug/ml of Ab purified by Protein A. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Sequence Length	92
Applicable Applications for anti-S100B antibody	IHC (Immunohistochemistry)
Immunogen	Recombinant full-length human S100B protein
Cellular Localization	Cytoplasmic
Hu-chromosome Location	21q22.3
Positive Control	Brain, Melanoma
Preparation and Storage	Antibody with azide - store at 2 to 8 degree C. Antibody without azide - store at -20 to -80 degree C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

IMAGES



IHC (Immunohistochemistry)
Formalin-fixed, paraffin-embedded human Melanoma stained with S100B Rabbit Recombinant Monoclonal Antibody (S100B/1706R).

SDS-PAGE
SDS-PAGE Analysis Purified S100B Rabbit Recombinant Monoclonal Antibody (S100B/1706R).

ADDITIONAL INFORMATION

References	Heizmann, C.W. 1988. Calcium-binding proteins of the EF-type. J. Cardiovasc. Pharmacol. 5: S30-S37.
------------	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	5454034
NCBI GeneID	6285
NCBI Accession #	NP_006263.1
NCBI GenBank Nucleotide #	NM_006272.2
UniProt Accession #	P04271; D3DSN6
Molecular Weight	10-12kDa
NCBI Official Full Name	protein S100-B
UniProt Protein Name	Protein S100-B
UniProt Gene Name	S100B

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/monoclonal/s100b-antibody-clone-s100b-1706r-immunohistochemistry-elisa/214513>