

Mouse p63 Monoclonal Antibody | anti-p63 antibody

p63 (Squamous, Basal & Myoepithelial Cell Marker)


CATALOG # AAA214710	HOST Mouse	REACTIVITY Human. Others not known.	APPLICATIONS Immunohistochemistry
-------------------------------	----------------------	---	---

PRODUCT SYNONYMS

p63; Monoclonal Antibody; p63 (Squamous; Basal & Myoepithelial Cell Marker); Amplified in squamous cell carcinoma (AIS); Chronic ulcerative stomatitis protein (CUSP); EEC3; Keratinocyte transcription factor KET; LMS; NBP; p40; P51/P63; p53 like transcription factor; p53-related protein p63; RHS; SHFM4; TAp63alpha; TP53CP; TP53L; TP63; TP73; TP73L; Transformation-related protein 63; Trp53rp1; Trp6; 3; Tumor protein 63; Tumor protein p53-like; tumor protein p73-like; anti-p63 antibody


PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human. Others not known.
Clonality	Monoclonal
Isotype	IgG2b, kappa
Clone Number	TP63/2427
Specificity	p63 is a homolog of the tumor suppressor p53. It is identified in basal cells in the epithelial layers of a variety of tissues, including epidermis, cervix, urothelium, breast and prostate. p63 was detected in nuclei of the basal epithelium in normal prostate glands; however, it was not expressed in malignant tumors of the prostate. As a result, p63 has been reported as a useful marker for differentiating benign from malignant lesions in the prostate, particularly when used in combination with markers of high molecular weight cytokeratins and the prostate-specific marker AMACR (P504S). p63 has also been shown to be a sensitive marker for lung squamous cell carcinomas (SqCC), with a sensitivity of ~90%. Specificity for lung SqCC, vs. lung adenocarcinoma (LADC), is approximately 80%. In breast tissue, p63 has been identified in myoepithelial cells of normal ducts.
Form/Format	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Sequence Length	555
Applicable Applications for anti-p63 antibody	IHC (Immunohistochemistry)
Immunogen	Recombinant full-length human p63 protein
Cellular Localization	Nuclear
Hu-chromosome Location	3q28
Positive Control	HEK293 cells or Prostate Carcinoma or Lung or bladder squamous cell carcinoma




Application Data

Analysis of Protein Array containing more than 19, 000 full-length human proteins using p63 Mouse Monoclonal Antibody (TP63/2427).Z- and S- Score: The Z-score represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProtTM array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProtTM are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a MAb to its intended target. A MAb is considered to specific to its intended target, if the MAb has an S-score of at least 2.5. For example, if a MAb binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the binding of that MAb to protein X is equal to 29.



IHC (Immunohistochemistry)

Formalin-fixed, paraffin-embedded human Prostate Carcinoma stained with p63 Mouse Monoclonal Antibody (TP63/2427).



SDS-PAGE

SDS-PAGE Analysis Purified p63 Mouse Monoclonal Antibody (TP63/2427).Confirmation of Integrity and Purity of Antibody.

ADDITIONAL INFORMATION

References	Signoretti S, et al. Am J Pathol. 2000; 157(6):1769-75. Terry J, et al. Am J Surg Pathol. 2010; 34(12):1805-11.
------------	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	169234657
NCBI GeneID	8626
NCBI Accession #	NP_001108450.1
NCBI GenBank Nucleotide #	NM_001114978.1
UniProt Accession #	Q9H3D4; O75080; O75195; O75922; O76078; Q6VEG2; Q6VEG3; Q6VEG4; Q6VFJ1; Q6VFJ2; Q6VFJ3; Q6VH20
Molecular Weight	63kDa
NCBI Official Full Name	tumor protein 63 isoform 2
NCBI Official Synonym Full Names	tumor protein p63
NCBI Official Symbol	TP63
NCBI Official Synonym Symbols	AIS; KET; LMS; NBP; RHS; p40; p51; p63; EEC3; OFC8; p73H; p73L; SHFM4; TP53L; TP73L; p53CP; TP53CP; B(p51A); B(p51B)
NCBI Protein Information	tumor protein 63

UniProt Protein Name	Tumor protein 63
UniProt Gene Name	TP63
UniProt Synonym Gene Names	KET; P63; P73H; P73L; TP73L; p63; CUSP; TP63; p73L

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/monoclonal/p63-antibody-clone-tp63-2427-immunohistochemistry-elisa/214710>