

Chicken Interleukin 4 (IL4) RTU ELISA Kit | IL4 rtu elisa kit

Chicken Interleukin 4 (IL4) ELISA Kit

CATALOG #
AAA216421

REACTIVITY
Chicken


PRODUCT SYNONYMS

Interleukin 4 (IL4); Chicken Interleukin 4 (IL4) ELISA Kit; BSF1; BCGF1 ;B Cell Stimulatory Factor 1; Lymphocyte stimulatory factor 1; B Cell Growth Factor; Binetrakin; Pitratkinra; IL4 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Chicken
Specificity	This assay has high sensitivity and excellent specificity for detection of IL4. No significant cross-reactivity or interference between IL4 and analogues was observed.
Sequence Length	136
Assay Type	Quantitative Sandwich
Samples	Chicken serum, plasma, tissue homogenates, cell lysates, cell culture supernates or other biological fluids
Detection Range	7.81-500pg/mL
Sensitivity	< 2.7pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level IL4 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level IL4 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for IL4 rtu elisa kit	Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to IL4. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to IL4. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain IL4, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of IL4 in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for the in vitro quantitative measurement of IL4 in chicken serum, plasma, tissue homogenates, cell lysates, cell culture supernates or other biological fluids.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	55741696
NCBI GeneID	416330
NCBI Accession #	NP_001007080.1
NCBI GenBank Nucleotide #	NM_001007079.1
UniProt Accession #	Q5W4U1
Molecular Weight	14,816 Da
NCBI Official Full Name	interleukin-4
NCBI Official Synonym Full Names	interleukin 4
NCBI Official Symbol	IL4
NCBI Protein Information	interleukin-4
UniProt Protein Name	Interleukin-4
UniProt Gene Name	IL-4

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.