

Horse Interleukin 6 (IL6) RTU ELISA Kit | IL6 rtu elisa kit

Equine Interleukin 6 (IL6) ELISA Kit

CATALOG #
AAA216447

REACTIVITY
Horse


PRODUCT SYNONYMS

Interleukin 6 (IL6); Equine Interleukin 6 (IL6) ELISA Kit; MGI2-A; MGI2A; HGF; BSF2; HSF; IFNB2; B-Cell Stimulatory Factor-2; Hybridoma/Plasmacytoma Growth Factor; Hepatocyte Stimulating Factor; Cytotoxic T-Cell Differentiation Factor; IL6 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Horse
Specificity	This assay has high sensitivity and excellent specificity for detection of IL6. No significant cross-reactivity or interference between IL6 and analogues was observed.
Sequence Length	208
Assay Type	Quantitative Sandwich
Samples	Equine serum, plasma, tissue homogenates, cell lysates, cell culture supernates or other biological fluids
Detection Range	78.1-5000pg/mL
Sensitivity	< 28pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level IL6 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level IL6 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for IL6 rtu elisa kit	Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to IL6. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to IL6. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain IL6, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of IL6 in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for the in vitro quantitative measurement of IL6 in equine serum, plasma, tissue homogenates, cell lysates, cell culture supernates or other biological fluids.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	821159831
NCBI GeneID	100034196
NCBI Accession #	NP_001075965.2
NCBI GenBank Nucleotide #	NM_001082496.2
UniProt Accession #	F6X6K9; Q95181
Molecular Weight	23,385 Da
NCBI Official Full Name	interleukin-6
NCBI Official Synonym Full Names	interleukin 6
NCBI Official Symbol	IL6
NCBI Official Synonym Symbols	IL-6
NCBI Protein Information	interleukin-6
UniProt Protein Name	Interleukin-6
UniProt Gene Name	IL6

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.