

Dog Leukemia Inhibitory Factor (LIF) RTU ELISA Kit | LIF rtu elisa kit

Canine Leukemia Inhibitory Factor (LIF) ELISA Kit

CATALOG #
AAA216793

REACTIVITY
Dog


PRODUCT SYNONYMS

Leukemia Inhibitory Factor (LIF); Canine Leukemia Inhibitory Factor (LIF) ELISA Kit; CDF; D-FACTOR; HILDA; MLPLI; Cholinergic Differentiation Factor; Differentiation-Stimulating Factor; Melanoma-Derived LPL Inhibitor; Emfilermin; LIF rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Dog
Sequence Length	202
Assay Type	Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates or Other Biological Fluids.
Detection Range	31.2-2000pg/mL
Sensitivity	14.7pg/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for LIF rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to LIF. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to LIF. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain LIF, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of LIF in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	308153269
NCBI GeneID	403449
NCBI Accession #	NP_001184002.1
NCBI GenBank Nucleotide #	NM_001197073.1
UniProt Accession #	J9NRL6
Molecular Weight	22,027 Da
NCBI Official Full Name	leukemia inhibitory factor
NCBI Official Synonym Full Names	LIF, interleukin 6 family cytokine
NCBI Official Symbol	LIF
NCBI Protein Information	leukemia inhibitory factor
UniProt Protein Name	LIF, interleukin 6 family cytokine
UniProt Gene Name	LIF

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/dog-rtu-elisa-kits/leukemia-inhibitory-factor-lif/216793>