

Human Matrix Metalloproteinase 2 (MMP2) RTU ELISA Kit | MMP2 rtu elisa kit

Human Matrix Metalloproteinase 2 (MMP2) ELISA Kit

CATALOG #
AAA217111

REACTIVITY
Human


PRODUCT SYNONYMS

Matrix Metalloproteinase 2 (MMP2); Human Matrix Metalloproteinase 2 (MMP2) ELISA Kit; CLG4; CLG4A; MMP-II; MONA; TBE-1; PEX; Gelatinase A; 72kDa Gelatinase; 72kDa Type IV Collagenase; MMP2 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Sequence Length	610
Assay Type	Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates or Other Biological Fluids.
Detection Range	0.625-40ng/mL
Sensitivity	0.243ng/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MMP2 rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to MMP2. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to MMP2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain MMP2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of MMP2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	189217853
NCBI GeneID	4313
NCBI Accession #	NP_001121363.1
NCBI GenBank Nucleotide #	NM_001127891.2
UniProt Accession #	P08253; Q9UCJ8; B2R6U1; B4DWH3; E9PE45
Molecular Weight	68,831 Da
NCBI Official Full Name	72 kDa type IV collagenase isoform 2
NCBI Official Synonym Full Names	matrix metalloproteinase 2
NCBI Official Symbol	MMP2
NCBI Official Synonym Symbols	CLG4; MONA; CLG4A; MMP-2; TBE-1; MMP-II
NCBI Protein Information	72 kDa type IV collagenase
UniProt Protein Name	72 kDa type IV collagenase
UniProt Gene Name	MMP2
UniProt Synonym Gene Names	CLG4A; MMP-2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/human-rtu-elisa-kits/matrix-metalloproteinase-2-mmp2/217111>