

Rabbit anti-Human, Mouse CD86 Polyclonal Antibody | anti-CD86 antibody

Rabbit anti-CD86 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA221083	Rabbit	Human, Mouse	Immunoprecipitation, Immunofluorescence, Western Blot


PRODUCT SYNONYMS

CD86; Polyclonal Antibody; Rabbit anti-CD86 Antibody; CD28LG2; T-lymphocyte activation antigen CD86; Activation B7-2 antigen; B70; BU63; CTLA-4 counter-receptor B7.2; FUN-1; anti-CD86 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-CD86 antibody	IP (Immunoprecipitation), IC (Immunochemistry), IF (Immunofluorescence), WB (Western Blot)
Immunogen	Recombinant full length protein of human CD86
Preparation and Storage	Store at -20 degree C. Avoid repeated freeze/thaw cycles.

IMAGES



IF (Immunofluorescence)

Immunofluorescent analysis of CD86 staining in MCF7 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.



WB (Western Blot)

Western blot analysis of CD86 expression in MCF7 (A), Hela (B), mouse heart (C), mouse liver (D) whole cell lysates.

ADDITIONAL INFORMATION

Product Categories/Family for anti-CD86 antibody	Primary antibodies
--	--------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	317373339
NCBI GeneID	942
UniProt Accession #	P42081; P42082
Molecular Weight	329
NCBI Official Full Name	T-lymphocyte activation antigen CD86
NCBI Official Synonym Full Names	CD86 molecule
NCBI Official Symbol	CD86
NCBI Official Synonym Symbols	B70; B7-2; B7.2; LAB72; CD28LG2
NCBI Protein Information	T-lymphocyte activation antigen CD86; BU63; FUN-1; CTLA-4 counter-receptor B7.2; B-lymphocyte activation antigen B7-2; CD86 antigen (CD28 antigen ligand 2, B7-2 antigen)
UniProt Protein Name	T-lymphocyte activation antigen CD86
UniProt Gene Name	CD86
UniProt Synonym Gene Names	CD28LG2
UniProt Entry Name	CD86_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.