

Rabbit FOLH1 Polyclonal Antibody | anti-FOLH1 antibody

FOLH1 Polyclonal Antibody

CATALOG # AAA22168	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry
------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

FOLH1; Polyclonal Antibody; FOLH1 Polyclonal Antibody; FGCP; Cell growth inhibiting protein 27; GCP2; GIG27; mGCP; NAALAD1; PSM; PSMA; Pteroylpoly gamma glutamate carboxypeptidase; anti-FOLH1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen affinity purification
Form/Format	PBS with 0.05% Proclin300, 50% glycerol, pH7.3
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-FOLH1 antibody	IHC (Immunohistochemistry)
Application Notes	IHC: 1:100-1:300
Immunogen	Recombinant Mouse Glutamate carboxypeptidase 2 protein
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.


IMAGES


IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Rat kidney using FOLH1 Polyclonal Antibody at dilution of 1:200



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Rat brain using FOLH1 Polyclonal Antibody at dilution of 1:200




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Mouse kidney using FOLH1 Polyclonal Antibody at dilution of 1:200




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Mouse brain using FOLH1 Polyclonal Antibody at dilution of 1:200



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human kidney cancer using FOLH1 Polyclonal Antibody at dilution of 1:200



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human prostate cancer using FOLH1 Polyclonal Antibody at dilution of 1:200

ADDITIONAL INFORMATION

Related Product Information for anti-FOLH1 antibody	Prostate-specific membrane antigen (PSMA) is expressed in normal and malignant prostatic epithelium and in a subset of non-prostatic tissues. In prostate cancer, PSMA expression has been shown to correlate with disease progression, with highest levels expressed in hormone-refractory and metastatic disease. The cellular localization of PSMA is cytoplasmic and/or membranous.
Product Categories/Family for anti-FOLH1 antibody	Signal Transduction ; Cancer ; Metabolism ; Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	228008369
NCBI GeneID	53320
NCBI Accession #	NP_001153178.1
NCBI GenBank Nucleotide #	NM_001159706.1
UniProt Accession #	O35409; Q0VDM5; Q9DCC2
Molecular Weight	84,574 Da
NCBI Official Full Name	glutamate carboxypeptidase 2 isoform 2
NCBI Official Synonym Full Names	folate hydrolase 1
NCBI Official Symbol	Folh1
NCBI Official Synonym Symbols	GCP2; mopsm
NCBI Protein Information	glutamate carboxypeptidase 2
UniProt Protein Name	Glutamate carboxypeptidase 2

UniProt Gene Name	Folh1
UniProt Synonym Gene Names	Mopsm; Naalad1; FGCP; GCPII; mGCP; NAALADase I

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/folh1-antibody-immunohistochemistry-elisa/22168>