

Rabbit BMI1 Polyclonal Antibody | anti-BMI1 antibody

Rabbit anti-BMI1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA222987	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

BMI1; Polyclonal Antibody; Rabbit anti-BMI1 Antibody; PCGF4; RNF51; Polycomb complex protein BMI-1; Polycomb group RING finger protein 4; RING finger protein 51; anti-BMI1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-BMI1 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant full length protein of human BMI1
Preparation and Storage	Store at -20 degree C. Avoid repeated freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of BMI1 staining in K562 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of BMI1 staining in human kidney formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)
 Western blot analysis of BMI1 expression in K562 (A) whole cell lysates.

ADDITIONAL INFORMATION

Product Categories/Family for anti-BMI1 antibody	Primary antibodies
--	--------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	27883842
NCBI GeneID	648
NCBI Accession #	NP_005171.4
NCBI GenBank Nucleotide #	NM_005180.8
UniProt Accession #	P35226; P25916
Molecular Weight	36,949 Da
NCBI Official Full Name	polycomb complex protein BMI-1
NCBI Official Synonym Full Names	BMI1 proto-oncogene, polycomb ring finger
NCBI Official Symbol	BMI1
NCBI Official Synonym Symbols	PCGF4; RNF51; FLV12/BMI1
NCBI Protein Information	polycomb complex protein BMI-1; flvi-2/bmi-1; ring finger protein 51; polycomb group protein Bmi1; BMI1 polycomb ring finger oncogene; polycomb group RING finger protein 4; BMI1 polycomb ring finger proto-oncogene; B lymphoma Mo-MLV insertion region 1 hom
UniProt Protein Name	Polycomb complex protein BMI-1
UniProt Gene Name	BMI1
UniProt Synonym Gene Names	PCGF4; RNF51
UniProt Entry Name	BMI1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.