

Rabbit DEDD Polyclonal Antibody | anti-DEDD antibody

DEDD Antibody

CATALOG # AAA225551	HOST Rabbit	APPLICATIONS Western Blot, Immunocytochemistry, Immunofluorescence
-------------------------------	-----------------------	--


PRODUCT SYNONYMS

DEDD; Polyclonal Antibody; DEDD Antibody; Affinity Purified Rabbit Polyclonal DEDD Antibody; Polyclonal DEDD antibody; Anti-DEDD antibody; CASP8IP1 antibody; DEFT antibody; DEDD antibody; death effector domain-containing testicular molecule antibody; FLDED-1 antibody; DEDD1 antibody; FLDED1 antibody; anti-DEDD antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen-Affinity Chromatography
Form/Format	Supplied as a concentrated solution containing 0.1M Tris, 0.1M Glycine, 10% Glycerol (pH 7.0). 0.01% Thimerosal was added as a preservative.
Concentration	0.42 mg/ml (varies by lot)
Sequence Length	318
Applicable Applications for anti-DEDD antibody	WB (Western Blot), ICC (Immunocytochemistry), IF (Immunofluorescence)
Cross-Reactivity	Human
Preparation and Storage	Store at 4 degree C for short term storage. Aliquot and store at -20 degree C for long term storage. Avoid repeated freeze/thaw cycles.

IMAGES



WB (Western Blot)

Western blot analysis of 30 ug of whole cell lysate (A: Raji) using a 10% SDS PAGE gel and DEDD antibody at a dilution of 1:1000



IF (Immunofluorescence)

Confocal immunofluorescence analysis (Olympus FV10i) of paraformaldehyde-fixed HeLa, using DEDD antibody (Green) at 1:500 dilution. Alpha-tubulin filaments were labeled with (Red) at 1:2500.

ADDITIONAL INFORMATION

Related Product Information for anti-DEDD antibody	This gene encodes a protein that contains a death effector domain. DED is a protein-protein interaction domain shared by adaptors, regulators and executors of the programmed cell death pathway. Overexpression of this gene was shown to induce weak apoptosis. Upon stimulation, this protein was found to translocate from cytoplasm to nucleus and colocalize with UBTF, a basal factor required for RNA polymerase I transcription, in the nucleolus.
Product Categories/Family for anti-DEDD antibody	Cell Cycle & Cell Death

NCBI AND UNIPROT INFORMATION

NCBI GI #	49168596
Molecular Weight	37 kDa
NCBI Official Full Name	DEDD

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/dedd-antibody-western-blot-immunocytochemistry-immunofluorescence-elisa/225551>