

Novokinin TFA Biochemical

Novokinin TFA

CATALOG #
AAA227560


PRODUCT SYNONYMS

Novokinin TFA; Novokinin TFA biochemical


PRODUCT SPECIFICATIONS

Purity/Purification	98%
CAS	1262750-59-3
Solubility	<1mg/ml refers to the product slightly soluble or insoluble
In vitro	Novokinin TFA suppresses food intake after icv. or po. administration in mice[1].
Preparation and Storage	Powder: -20 degree C for 3 years In solvent: -80 degree C for 2 years

IMAGES



Structure
Tachysterol 3, CAS 17592-07-3



Structure
Tachysterol 3, CAS 17592-07-3

ADDITIONAL INFORMATION

Related Product Information for Novokinin TFA biochemical	Novokinin TFA is a peptide agonist of the angiotensin AT2 receptor.
References	1. Cecilia Cisneros, et al. The Role of Tachysterol in Vitamin D Photosynthesis - A Non-Adiabatic Molecular Dynamics Study. Phys Chem Chem Phys. 2017 Feb 22;19(8):5763-5777.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.