

Remlarsen Biochemical

Remlarsen

CATALOG #
AAA227957


PRODUCT SYNONYMS

Remlarsen; Remlarsen biochemical


PRODUCT SPECIFICATIONS

Purity/Purification	98%
CAS	1848266-71-6
Solubility	<1mg/ml refers to the product slightly soluble or insoluble
In vitro	Remlarsen (MRG-201) is active in regulating PD biomarker expression in the skin[1].
Preparation and Storage	Powder: -20 degree C for 3 years In solvent: -80 degree C for 2 years

IMAGES



Structure
AR-C141990 hydrochloride, CAS 2250019-94-2



Structure
AR-C141990 hydrochloride, CAS 2250019-94-2

ADDITIONAL INFORMATION

Related Product Information for Remlarsen biochemical	Remlarsen (MRG-201), a miR-29b mimic, acts a miR-29b agonist. Remlarsen has the potential for preventing formation of a fibrotic scar or cutaneous fibrosis.
References	1. Clara Pålman, et al. Immunosuppressive Properties of a Series of Novel Inhibitors of the Monocarboxylate Transporter MCT-1. Transpl Int. 2013 Jan;26(1):22-9. 2. Louise Thiesen, et al. In Vitro and In Vivo Evidence for Active Brain Uptake of the GHB Analog HOCPCA by the Monocarboxylate Transporter Subtype 1. J Pharmacol Exp Ther. 2015 Aug;354(2):166-74.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.