

THP-PEG10-OH biochemical

THP-PEG10-OH

CATALOG #
AAA228709


PRODUCT SYNONYMS

THP-PEG10-OH; THP-PEG10-OH biochemical


PRODUCT SPECIFICATIONS

Purity/Purification	98%
Solubility	<1mg/ml refers to the product slightly soluble or insoluble
In vitro	PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins[1].
Preparation and Storage	Powder: -20 degree C for 3 years In solvent: -80 degree C for 2 years

IMAGES



Structure
ACG416B, CAS 795316-15-3



Structure
ACG416B, CAS 795316-15-3

ADDITIONAL INFORMATION

Related Product Information for THP-PEG10-OH biochemical	THP-PEG10-OH is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs.
References	1. onejo-García A, et al. Influence of the linker in bispyridium compounds on the inhibition of human choline kinase. J Med Chem. 2004 Oct 21;47(22):5433-40.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.