

Rabbit anti-Human UBE2C Polyclonal Antibody | anti-UBE2C antibody

UBE2C Antibody

CATALOG # AAA229079	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, Western Blot, ELISA
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

UBE2C; Polyclonal Antibody; UBE2C Antibody; Ubiquitin-conjugating enzyme E2 C; (E3-independent) E2 ubiquitin-conjugating enzyme C ; E2 ubiquitin-conjugating enzyme C; Ubch10; Ubiquitin carrier protein C; Ubiquitin-protein ligase C; UBCH10; anti-UBE2C antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Caprylic Acid Ammonium Sulfate Precipitation purified
Form/Format	Liquid
Sequence Length	132
Applicable Applications for anti-UBE2C antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA
Immunogen	Recombinant human Ubiquitin-conjugating enzyme E2 C protrin(2-179AA)
Conjugation	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300; Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Santa Cruz Alternative	Potential replacement for Santa Cruz Biotechnology antibody catalog# sc-47543 / sc-47545 / sc-99146
Preparation and Storage	Shipped at 4 degree C. Upon delivery, aliquot and store at -20 degree C or -80 degree C.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human placenta using AAA229079 at dilution 1:100



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human colon cancer tissue using AAA229079 at dilution 1:100



WB (Western Blot)

Western blotAll lanes: UBE2C antibody at 2ug/mlLane 1:Hela whole cell lysateLane 2:U87 whole cell lysateSecondaryGoat polyclonal to rabbit at 1/10000 dilutionPredicted band size: 20,16,17,18 kDaObserved band size: 20 kDa

ADDITIONAL INFORMATION

Related Product Information for anti-UBE2C antibody

Accepts ubiquitin from the E1 complex and catalyzes its covalent attachment to other proteins. In vitro catalyzes 'Lys-11'- and 'Lys-48'-linked polyubiquitination. Acts as an essential factor of the anaphase promoting complex/cyclosome (APC/C), a cell cycle-regulated ubiquitin ligase that controls progression through mitosis. Acts by initiating 'Lys-11'-linked polyubiquitin chains on APC/C substrates, leading to the degradation of APC/C substrates by the proteasome and promoting mitotic exit.

NCBI AND UNIPROT INFORMATION

NCBI GI #	528524529
NCBI GeneID	11065
NCBI Accession #	NP_001268670.1
NCBI GenBank Nucleotide #	NM_001281741.1
UniProt Accession #	O00762; A6NP33; E1P5N7; G3XAB7
Molecular Weight	17,373 Da
NCBI Official Full Name	ubiquitin-conjugating enzyme E2 C isoform 6
NCBI Official Synonym Full Names	ubiquitin conjugating enzyme E2C
NCBI Official Symbol	UBE2C
NCBI Official Synonym Symbols	UBCH10; dJ447F3.2
NCBI Protein Information	ubiquitin-conjugating enzyme E2 C
UniProt Protein Name	Ubiquitin-conjugating enzyme E2 C
UniProt Gene Name	UBE2C
UniProt Synonym Gene Names	UBCH10
UniProt Entry Name	UBE2C_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/ube2c-antibody-immunohistochemistry-western-blot-elisa/229079>