

Rabbit anti-Human, mouse MAPK9 Polyclonal Antibody | anti-MAPK9 antibody

MAPK9 Antibody



CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA230183	Rabbit	Human, mouse	Immunoprecipitation, Western Blot, ELISA

PRODUCT SYNONYMS

MAPK9; Polyclonal Antibody; MAPK9 Antibody; Mitogen-activated protein kinase 9; MAP kinase 9; MAPK 9; Stress-activated protein kinase 1a; SAPK1a; Stress-activated protein kinase JNK2; c-Jun N-terminal kinase 2; JNK2; PRKM9; SAPK1A; anti-MAPK9 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, mouse
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Caprylic Acid Ammonium Sulfate Precipitation purified
Form/Format	Liquid
Sequence Length	242
Applicable Applications for anti-MAPK9 antibody	IP (Immunoprecipitation), WB (Western Blot), ELISA
Immunogen	Recombinant human Mitogen-activated protein kinase 9 protein(1-424AA)
Conjugation	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300; Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Santa Cruz Alternative	Potential replacement for Santa Cruz Biotechnology antibody catalog# sc-46013 / sc-46011 / sc-827 / sc-572
Preparation and Storage	Shipped at 4 degree C. Upon delivery, aliquot and store at -20 degree C or -80 degree C.



IF (Immunofluorescence)
Immunofluorescence staining of HeLa cells with AAA230183 at 1:266, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeabilized using 0.2% Triton X-100 and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4 degree C. The secondary antibody was Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG (H+L).

IP (Immunoprecipitation)
Immunoprecipitating MAPK9 in HeLa whole cell lysate. Lane 1: Rabbit monoclonal IgG(1ug) instead of AAA230183 in HeLa whole cell lysate. For western blotting, a HRP-conjugated anti-rabbit IgG, specific to the non-reduced form of IgG was used as the Secondary antibody (1/50000). Lane 2: AAA230183(4ug)+ HeLa whole cell lysate(500ug). Lane 3: HeLa whole cell lysate (20ug)

ADDITIONAL INFORMATION

Related Product Information for anti-MAPK9 antibody

Serine/threonine-protein kinase involved in various processes such as cell proliferation, differentiation, migration, transformation and programmed cell death. Extracellular stimuli such as proinflammatory cytokines or physical stress stimulate the stress-activated protein kinase/c-Jun N-terminal kinase (SAP/JNK) signaling pathway. In this cascade, two dual specificity kinases MAP2K4/MKK4 and MAP2K7/MKK7 phosphorylate and activate MAPK9/JNK2. In turn, MAPK9/JNK2 phosphorylates a number of transcription factors, primarily components of AP-1 such as JUN and ATF2 and thus regulates AP-1 transcriptional activity. In response to oxidative or ribotoxic stresses, inhibits rRNA synthesis by phosphorylating and inactivating the RNA polymerase 1-specific transcription initiation factor RRN3. Promotes stressed cell apoptosis by phosphorylating key regulatory factors including TP53 and YAP1. In T-cells, MAPK8 and MAPK9 are required for polarized differentiation of T-helper cells into Th1 cells. Upon T-cell receptor (TCR) stimulation, is activated by CARMA1, BCL10, MAP2K7 and MAP3K7/TAK1 to regulate JUN protein levels. Plays an important role in the osmotic stress-induced epithelial tight-junctions disruption. When activated, promotes beta-catenin/CTNNB1 degradation and inhibits the canonical Wnt signaling pathway. Participates also in neurite growth in spiral ganglion neurons. Phosphorylates the CLOCK-ARNTL/BMAL1 heterodimer and plays a role in the regulation of the circadian clock. MAPK9 isoforms display different binding patterns: alpha-1 and alpha-2 preferentially bind to JUN, whereas beta-1 and beta-2 bind to ATF2. However, there is no correlation between binding and phosphorylation, which is achieved at about the same efficiency by all isoforms. JUNB is not a substrate for JNK2 alpha-2, and JUND binds only weakly to it.

NCBI AND UNIPROT INFORMATION

NCBI GI #	205277412
NCBI GeneID	5601
NCBI Accession #	NP_001128516.1
NCBI GenBank Nucleotide #	NM_001135044.1
UniProt Accession #	P45984; Q15708; Q15710; Q15711; Q8N5C5; A8K0S3; B5BU66; B5M0B4; D3DWQ8; D3DWQ9
Molecular Weight	27,334 Da
NCBI Official Full Name	mitogen-activated protein kinase 9 isoform JNK2 gamma
NCBI Official Synonym Full Names	mitogen-activated protein kinase 9
NCBI Official Symbol	MAPK9
NCBI Official Synonym Symbols	JNK2; SAPK; p54a; JNK2A; JNK2B; PRKM9; JNK-55; SAPK1a; JNK2BETA; p54aSAPK; JNK2ALPHA

NCBI Protein Information	mitogen-activated protein kinase 9
UniProt Protein Name	Mitogen-activated protein kinase 9
UniProt Gene Name	MAPK9
UniProt Synonym Gene Names	JNK2; PRKM9; SAPK1A; MAP kinase 9; MAPK 9; SAPK1a
UniProt Entry Name	MK09_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/mapk9-antibody-immunoprecipitation-western-blot-elisa/230183>