

Rabbit anti-Human E2F2 Polyclonal Antibody | anti-E2F2 antibody

E2F2 Antibody

CATALOG # AAA230444	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, Western Blot, ELISA
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

E2F2; Polyclonal Antibody; E2F2 Antibody; Transcription factor E2F2; E2F-2; anti-E2F2 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Caprylic Acid Ammonium Sulfate Precipitation purified
Form/Format	Liquid
Sequence Length	437
Applicable Applications for anti-E2F2 antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA
Immunogen	Recombinant human Transcription factor E2F2 protein
Conjugation	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300; Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Santa Cruz Alternative	Potential replacement for Santa Cruz Biotechnology antibody catalog# sc-22821 / sc-632 / sc-633
Preparation and Storage	Shipped at 4 degree C. Upon delivery, aliquot and store at -20 degree C or -80 degree C.


IMAGES


IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human placenta tissue using AAA230444 at dilution 1:100



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human brain tissue using AAA230444 at dilution 1:100



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human kidney using AAA230444 at dilution 1:100



WB (Western Blot)

Western blotAll lanes: E2F2 antibody at 2ug/ml+293T whole cell lysateSecondaryGoat polyclonal to rabbit at 1/10000 dilutionPredicted band size: 48kDaObserved band size: 48kDa

ADDITIONAL INFORMATION

Related Product Information for anti-E2F2 antibody

Transcription activator that binds DNA cooperatively with DP proteins through the E2 recognition site, 5'-TTTC[CG]CGC-3' found in the promoter region of a number of genes whose products are involved in cell cycle regulation or in DNA replication. The DRTF1/E2F complex functions in the control of cell-cycle progression from G1 to S phase. E2F2 binds specifically to RB1 in a cell-cycle dependent manner.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4758226
NCBI GeneID	1870
NCBI Accession #	NP_004082.1
NCBI GenBank Nucleotide #	NM_004091.3
UniProt Accession #	Q14209; Q7Z6H1; B2R9W1
Molecular Weight	47,506 Da
NCBI Official Full Name	transcription factor E2F2
NCBI Official Synonym Full Names	E2F transcription factor 2
NCBI Official Symbol	E2F2
NCBI Official Synonym Symbols	E2F-2
NCBI Protein Information	transcription factor E2F2
UniProt Protein Name	Transcription factor E2F2
UniProt Gene Name	E2F2
UniProt Synonym Gene Names	E2F-2
UniProt Entry Name	E2F2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/e2f2-antibody-immunohistochemistry-western-blot-elisa/230444>