

Human Transcobalamin I (TCN1) ELISA Kit | TCN1 elisa kit

Human Transcobalamin I (TCN1) ELISA Kit

CATALOG #
AAA23062

REACTIVITY
Human


PRODUCT SYNONYMS

Transcobalamin I (TCN1); Human Transcobalamin I (TCN1) ELISA Kit; TCI; TC1; Haptocorin; Haptocorrin; Vitamin B12 Binding Protein; R Binder Family; TCN1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of TCN1. No significant cross-reactivity or interference between TCN1 and analogues was observed.
Sequence Length	433
Assay Type	Quantitative Sandwich
Samples	Human serum, plasma, saliva, tissue homogenates and other biological fluids
Detection Range	15.6-1,000pg/mL
Sensitivity	< 5.7pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level TCN1 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level TCN1 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TCN1 elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to TCN1. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to TCN1. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain TCN1, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of TCN1 in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of TCN1 in human serum, plasma, saliva, tissue homogenates and other biological fluids.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	21071008
NCBI GeneID	6947
NCBI Accession #	NP_001053.2
NCBI GenBank Nucleotide #	NM_001062.3
UniProt Accession #	P20061; Q8WV77; A8KAC5
Molecular Weight	48,207 Da
NCBI Official Full Name	transcobalamin-1
NCBI Official Synonym Full Names	transcobalamin 1
NCBI Official Symbol	TCN1
NCBI Official Synonym Symbols	HC; TC1; TCI; TC-1
NCBI Protein Information	transcobalamin-1
UniProt Protein Name	Transcobalamin-1
UniProt Gene Name	TCN1
UniProt Synonym Gene Names	TC1; TC-1; HC; TC I; TCI

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/human-elisa-kits/transcobalamin-i-tn1/23062>