

Rabbit anti-Human INTS9 Polyclonal Antibody | anti-INTS9 antibody

INTS9 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA231573	Rabbit	Human	Immunofluorescence, Immunohistochemistry, Western Blot, ELISA


PRODUCT SYNONYMS

INTS9; Polyclonal Antibody; INTS9 Antibody; Integrator complex subunit 9Int9; Protein related to CPSF subunits of 74 kDa; RC-74; RC74; anti-INTS9 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95%, Protein G purified
Form/Format	Liquid
Sequence Length	637
Applicable Applications for anti-INTS9 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot), ELISA
Species	Human
Immunogen	Recombinant human Integrator complex subunit 9 protein
Conjugate	Non-conjugated
Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C or -80 degree C. Avoid repeated freeze.


IMAGES


IF (Immunofluorescence)

Immunofluorescent analysis of HeLa cells using AAA231573 at a dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human ovarian cancer using AAA231573 at dilution of 1:100



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human prostate cancer using AAA231573 at dilution of 1:100



WB (Western Blot)

Western Blot Positive WB detected in: Jurkat whole cell lysate, HeLa whole cell lysate, MCF-7 whole cell lysate. All lanes: INTS9 antibody at 3.4 µg/ml. Secondary: Goat polyclonal to rabbit IgG at 1/50000 dilution. Predicted band size: 74,72 kDa. Observed band size: 74,72 kDa.

ADDITIONAL INFORMATION

Related Product Information for anti-INTS9 antibody

Component of the Integrator complex, a complex involved in the small nuclear RNAs (snRNA) U1 and U2 transcription and in their 3'-box-dependent processing. The Integrator complex is associated with the C-terminal domain (CTD) of RNA polymerase II largest subunit (POLR2A) and is recruited to the U1 and U2 snRNAs genes.

NCBI AND UNIPROT INFORMATION

NCBI GI #	223555970
NCBI GeneID	55756
NCBI Accession #	NP_001138631.1
NCBI GenBank Nucleotide #	NM_001145159.2
UniProt Accession #	Q9NV88; O00224; Q8TB16; B7Z560; B7Z6M5
Molecular Weight	71,137 Da
NCBI Official Full Name	integrator complex subunit 9 isoform 2
NCBI Official Synonym Full Names	integrator complex subunit 9
NCBI Official Symbol	INTS9
NCBI Official Synonym Symbols	INT9; RC74; CPSF2L
NCBI Protein Information	integrator complex subunit 9
UniProt Protein Name	Integrator complex subunit 9
UniProt Gene Name	INTS9
UniProt Synonym Gene Names	RC74; Int9; RC-74
UniProt Entry Name	INT9_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/ints9-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/231573>