

Rabbit anti-Human FURIN Polyclonal Antibody | anti-FURIN antibody

FURIN Antibody


CATALOG # AAA232490	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, ELISA
-------------------------------	-----------------------	----------------------------	--

PRODUCT SYNONYMS


FURIN; Polyclonal Antibody; FURIN Antibody; Furin; Dibasic-processing enzyme; Paired basic amino acid residue-cleaving enzyme; PACE; FUR; PCSK3; anti-FURIN antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95%, Protein G purified
Form/Format	Liquid Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Sequence Length	794
Applicable Applications for anti-FURIN antibody	IHC (Immunohistochemistry), ELISA
Immunogen	Recombinant Human Furin protein (520-701AA)
Immunogen Species	Human
Conjugation	Non-conjugated
Research Area	Signal Transduction
Target Names	FURIN
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.



IHC (Immunohiostchemistry)
Immunohistochemistry of paraffin-embedded human placenta tissue using AAA232490 at dilution of 1:100



IHC (Immunohistochemistry)
Immunohistochemistry of paraffin-embedded human kidney tissue using AAA232490 at dilution of 1:100

NCBI AND UNIPROT INFORMATION

NCBI GI #	577019578
NCBI GeneID	5045
NCBI Accession #	NP_001276752.1
NCBI GenBank Nucleotide #	NM_001289823.1
UniProt Accession #	P09958; Q14336; Q6LBS3; Q9UCZ5
NCBI Official Full Name	furin preproprotein
NCBI Official Synonym Full Names	furin, paired basic amino acid cleaving enzyme
NCBI Official Symbol	FURIN
NCBI Official Synonym Symbols	FUR; PACE; SPC1; PCSK3
NCBI Protein Information	furin
UniProt Protein Name	Furin
UniProt Gene Name	FURIN
UniProt Synonym Gene Names	FUR; PACE; PCSK3; PACE
UniProt Entry Name	FURIN_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.