

Rabbit anti-Human SNAI2 Polyclonal Antibody | anti-SNAI2 antibody

SNAI2 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA232688	Rabbit	Human	Immunofluorescence, Immunohistochemistry, ELISA


PRODUCT SYNONYMS

SNAI2; Polyclonal Antibody; SNAI2 Antibody; Zinc finger protein SNAI2; Neural crest transcription factor Slug; Protein snail homolog 2; SLUG; SLUGH; anti-SNAI2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95%, Protein G purified
Form/Format	Liquid
Sequence Length	268
Applicable Applications for anti-SNAI2 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), ELISA
Immunogen	Recombinant human Zinc finger protein SNAI2 protein (12-124AA)
Preservative	0.03% Proclin 300
Constituents	50% Glycerol, 0.01M PBS, PH 7.4
Conjugation	Non-conjugated
Santa Cruz Alternative	Potential replacement for Santa Cruz Biotechnology antibody catalog# sc-10437 / sc-10436 / sc-15391
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IF (Immunofluorescence)

Immunofluorescent analysis of Hela cells using AAA232688 at a dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human gastric tissue using AAA232688 at dilution of 1:100

ADDITIONAL INFORMATION

Related Product Information for anti-SNAI2 antibody	Transcriptional repressor that modulates both activator-dependent and basal transcription. Involved in the generation and migration of neural crest cells. Plays a role in mediating RAF1-induced transcriptional repression of the TJ protein, occludin (OCLN) and subsequent oncogenic transformation of epithelial cells (By similarity). Represses BRCA2 expression by binding to its E2-box-containing silencer and recruiting CTBP1 and HDAC1 in breast cells. In epidermal keratinocytes, binds to the E-box in ITGA3 promoter and represses its transcription. Involved in the regulation of ITGB1 and ITGB4 expression and cell adhesion and proliferation in epidermal keratinocytes. Binds to E-box2 domain of BSG and activates its expression during TGFB1-induced epithelial-mesenchymal transition (EMT) in hepatocytes. Represses E-Cadherin/CDH1 transcription via E-box elements. Involved in osteoblast maturation. Binds to RUNX2 and SOC9 promoters and may act as a positive and negative transcription regulator, respectively, in osteoblasts. Binds to CXCL12 promoter via E-box regions in mesenchymal stem cells and osteoblasts. Plays an essential role in TWIST1-induced EMT and its ability to promote invasion and metastasis.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	11276067
NCBI GeneID	6591
NCBI Accession #	NP_003059.1
NCBI GenBank Nucleotide #	NM_003068.4
UniProt Accession #	O43623; Q53FC1; B2R6P6
Molecular Weight	29,986 Da
NCBI Official Full Name	zinc finger protein SNAI2
NCBI Official Synonym Full Names	snail family transcriptional repressor 2
NCBI Official Symbol	SNAI2
NCBI Official Synonym Symbols	SLUG; WS2D; SLUGH; SLUGH1; SNAIL2
NCBI Protein Information	zinc finger protein SNAI2
UniProt Protein Name	Zinc finger protein SNAI2
UniProt Gene Name	SNAI2
UniProt Synonym Gene Names	SLUG; SLUGH
UniProt Entry Name	SNAI2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/snai2-antibody-immunofluorescence-immunohistochemistry-elisa/232688>