

Rabbit anti-Human, Mouse MEI4 Polyclonal Antibody | anti-MEI4 antibody

MEI4 Antibody

CATALOG # AAA232823	HOST Rabbit	REACTIVITY Human, Mouse	APPLICATIONS Western Blot, ELISA
-------------------------------	-----------------------	-----------------------------------	--


PRODUCT SYNONYMS

MEI4; Polyclonal Antibody; MEI4 Antibody; Meiosis-specific protein MEI4-like; anti-MEI4 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95%, Protein G purified
Form/Format	Liquid
Sequence Length	385
Applicable Applications for anti-MEI4 antibody	WB (Western Blot), ELISA
Immunogen	Recombinant human Meiosis-specific protein MEI4-like protein (22-137AA)
Preservative	0.03% Proclin 300
Constituents	50% Glycerol, 0.01M PBS, PH 7.4
Conjugation	Non-conjugated
Species	Homo sapiens (Human)
Research Area	Others
Target Names	MEI4
Preparation and Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

IMAGES



WB (Western Blot)
Western BlotPositive WB detected in:Mouse heart tissueAll lanes: MEI4 antibody at 2.7ug/mlSecondaryGoat polyclonal to rabbit IgG at 1/50000 dilutionPredicted band size: 45 kDaObserved band size: 45 kDa

ADDITIONAL INFORMATION

Related Product Information for anti-MEI4 antibody	Required for meiotic DNA double-strand break formation.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	531034748
NCBI GeneID	101928601
NCBI Accession #	NP_001269065.1
NCBI GenBank Nucleotide #	NM_001282136.2
UniProt Accession #	A8MW99; R4GMV8
NCBI Official Full Name	meiosis-specific protein MEI4-like
NCBI Official Synonym Full Names	meiotic double-stranded break formation protein 4
NCBI Official Symbol	MEI4
NCBI Protein Information	meiosis-specific protein MEI4-like
UniProt Protein Name	Meiosis-specific protein MEI4-like
UniProt Gene Name	MEI4
UniProt Entry Name	MEI4L_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.