

Rabbit anti-Human ELK3 Polyclonal Antibody | anti-ELK3 antibody

ELK3 Antibody

CATALOG # AAA234055	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, ELISA
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

ELK3; Polyclonal Antibody; ELK3 Antibody; ETS domain-containing protein Elk-3; ETS-related protein ERP; ETS-related protein NET; Serum response factor accessory protein 2; SAP-2; SRF accessory protein 2; NET; SAP2; anti-ELK3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95%, Protein G purified
Form/Format	Liquid
Sequence Length	407
Applicable Applications for anti-ELK3 antibody	IHC (Immunohistochemistry), ELISA
Immunogen	Recombinant Human ETS domain-containing protein Elk-3 protein (163-300AA)
Conjugation	Non-conjugated
Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IHC (Immunohistochemistry)

IHC image of AAA234055 diluted at 1:500 and staining in paraffin-embedded human breast cancer performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.



IHC (Immunohistochemistry)

IHC image of AAA234055 diluted at 1:500 and staining in paraffin-embedded human lung tissue performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.

ADDITIONAL INFORMATION

Related Product Information for anti-ELK3 antibody	May be a negative regulator of transcription, but can activate transcription when coexpressed with Ras, Src or Mos. Forms a ternary complex with the serum response factor and the ETS and SRF motifs of the Fos serum response element.
Product Categories/Family for anti-ELK3 antibody	Epigenetics and Nuclear Signaling; Immunology

NCBI AND UNIPROT INFORMATION

NCBI GI #	44955921
NCBI GeneID	2004
NCBI Accession #	NP_005221.2
NCBI GenBank Nucleotide #	NM_005230.3
UniProt Accession #	P41970; Q6FG57; Q6GU29; Q9UD17; B2R6S6
Molecular Weight	44,240 Da
NCBI Official Full Name	ETS domain-containing protein Elk-3 isoform 1
NCBI Official Synonym Full Names	ELK3, ETS transcription factor
NCBI Official Symbol	ELK3
NCBI Official Synonym Symbols	ERP; NET; SAP2; SAP-2
NCBI Protein Information	ETS domain-containing protein Elk-3
UniProt Protein Name	ETS domain-containing protein Elk-3
UniProt Gene Name	ELK3
UniProt Synonym Gene Names	NET; SAP2; SAP-2; SRF accessory protein 2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/elk3-antibody-immunohistochemistry-elisa/234055>