

Rabbit anti-Human UBA52 Polyclonal Antibody | anti-UBA52 antibody

UBA52 Antibody

CATALOG # AAA234116	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, ELISA
-------------------------------	-----------------------	----------------------------	--


PRODUCT SYNONYMS

UBA52; Polyclonal Antibody; UBA52 Antibody; Ubiquitin-60S ribosomal protein L40; CEP52; Ubiquitin A-52 residue ribosomal protein fusion product 1; Ubiquitin; 60S ribosomal protein L40; Large ribosomal subunit protein eL401; UBCEP2; anti-UBA52 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95%, Protein G purified
Form/Format	Liquid
Sequence Length	128
Applicable Applications for anti-UBA52 antibody	IHC (Immunohistochemistry), ELISA
Immunogen	Recombinant Human Ubiquitin-60S ribosomal protein L40 protein (1-128AA)
Conjugation	Non-conjugated
Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IHC (Immunohistochemistry)

IHC image of AAA234116 diluted at 1:200 and staining in paraffin-embedded human brain tissue performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.



IHC (Immunohistochemistry)

IHC image of AAA234116 diluted at 1:200 and staining in paraffin-embedded human testis tissue performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.

ADDITIONAL INFORMATION

Related Product Information for anti-UBA52 antibody	Ubiquitin: Exists either covalently attached to another protein, or free (unanchored). When covalently bound, it is conjugated to target proteins via an isopeptide bond either as a monomer (monoubiquitin), a polymer linked via different Lys residues of the ubiquitin (polyubiquitin chains) or a linear polymer linked via the initiator Met of the ubiquitin (linear polyubiquitin chains). Polyubiquitin chains, when attached to a target protein, have different functions depending on the Lys residue of the ubiquitin that is linked: Lys-6-linked may be involved in DNA repair; Lys-11-linked is involved in ERAD (endoplasmic reticulum-associated degradation) and in cell-cycle regulation; Lys-29-linked is involved in lysosomal degradation; Lys-33-linked is involved in kinase modification; Lys-48-linked is involved in protein degradation via the proteasome; Lys-63-linked is involved in endocytosis, DNA-damage responses as well as in signaling processes leading to activation of the transcription factor NF-kappa-B. Linear polymer chains formed via attachment by the initiator Met lead to cell signaling. Ubiquitin is usually conjugated to Lys residues of target proteins, however, in rare cases, conjugation to Cys or Ser residues has been observed. When polyubiquitin is free (unanchored-polyubiquitin), it also has distinct roles, such as in activation of protein kinases, and in signaling.
Product Categories/Family for anti-UBA52 antibody	Epigenetics and Nuclear Signaling; Cell Biology

NCBI AND UNIPROT INFORMATION

NCBI GI #	77539055
NCBI GeneID	7311
NCBI Accession #	NP_001029102.1
NCBI GenBank Nucleotide #	NM_001033930.2
UniProt Accession #	P62987; P02248; P02249; P02250; P14793; P62988; Q29120; Q6LBL4; Q6LDU5; Q8WYN8; Q91887; Q91888
Molecular Weight	14,728 Da
NCBI Official Full Name	ubiquitin-60S ribosomal protein L40 isoform 1
NCBI Official Synonym Full Names	ubiquitin A-52 residue ribosomal protein fusion product 1
NCBI Official Symbol	UBA52
NCBI Official Synonym Symbols	L40; CEP52; RPL40; HUBCEP52
NCBI Protein Information	ubiquitin-60S ribosomal protein L40
UniProt Protein Name	Ubiquitin-60S ribosomal protein L40
UniProt Gene Name	UBA52
UniProt Synonym Gene Names	UBCEP2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.