

Rabbit anti-Human PCSK9 Polyclonal Antibody | anti-PCSK9 antibody

PCSK9 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA235375	Rabbit	Human	Immunofluorescence, Immunohistochemistry, ELISA


PRODUCT SYNONYMS

PCSK9; Polyclonal Antibody; PCSK9 Antibody; Proprotein convertase subtilisin/kexin type 9; EC 3.4.21.-; Neural apoptosis-regulated convertase 1; NARC-1; Proprotein convertase 9; PC9; Subtilisin/kexin-like protease PC9; NARC1; anti-PCSK9 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95% Protein G Purified
Form/Format	Liquid
Sequence Length	692
Applicable Applications for anti-PCSK9 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), ELISA
Immunogen Species	Human
Immunogen	Recombinant Human Proprotein convertase subtilisin/kexin type 9 protein (462-595AA)
Conjugate	Non-Conjugated
Preservative	0.03% Proclin 300
Constituents	50% Glycerol, 0.01M PBS, pH 7.4
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IF (Immunofluorescence)
Immunofluorescence staining of HepG2 cells with CSB-PA07039A0Rb at 1:100, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeabilized using 0.2% Triton X-100 and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4 degree C. The secondary antibody was Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



IHC (Immunohistochemistry)
IHC image of CSB-PA07039A0Rb diluted at 1:100 and staining in paraffin-embedded human colon cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.

ADDITIONAL INFORMATION

Product Categories/Family for anti-PCSK9 antibody	Signal Transduction
---	---------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	31317307
NCBI GeneID	255738
NCBI Accession #	NP_777596.2
NCBI GenBank Nucleotide #	NM_174936.3
UniProt Accession #	Q8NBP7; Q5PSM5; Q5SZQ2; A8T640; C0JYY9
Molecular Weight	20,827 Da
NCBI Official Full Name	proprotein convertase subtilisin/kexin type 9 preproprotein
NCBI Official Synonym Full Names	proprotein convertase subtilisin/kexin type 9
NCBI Official Symbol	PCSK9
NCBI Official Synonym Symbols	FH3; PC9; NARC1; LDLCQ1; NARC-1; HCHOLA3
NCBI Protein Information	proprotein convertase subtilisin/kexin type 9
UniProt Protein Name	Proprotein convertase subtilisin/kexin type 9
UniProt Gene Name	PCSK9
UniProt Synonym Gene Names	NARC1; NARC-1; PC9

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.