

Rabbit anti-Human ZRANB1 Polyclonal Antibody | anti-ZRANB1 antibody

ZRANB1 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA235502	Rabbit	Human	Immunohistochemistry, Western Blot, ELISA


PRODUCT SYNONYMS

ZRANB1; Polyclonal Antibody; ZRANB1 Antibody; Ubiquitin thioesterase ZRANB1; EC 3.4.19.12; TRAF-binding domain-containing protein; hTrabid; Zinc finger Ran-binding domain-containing protein 1; TRABID; anti-ZRANB1 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	>95%, Protein G purified
Form/Format	Liquid
Sequence Length	708
Applicable Applications for anti-ZRANB1 antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA
Immunogen	Recombinant Human Ubiquitin thioesterase ZRANB1 protein (111-397AA)
Conjugate	Non-Conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Species	Homo sapiens (Human)
Research Area	Cell Biology
Target Names	ZRANB1
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.


IMAGES



IHC (Immunohistochemistry)
IHC image of AAA235502 diluted at 1:400 and staining in paraffin-embedded human adrenal gland tissue performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.



IHC (Immunohistochemistry)
IHC image of AAA235502 diluted at 1:400 and staining in paraffin-embedded human prostate cancer performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4 degree C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.



WB (Western Blot)
Western BlotPositive WB detected in: HeLa whole cell lysate, Raji whole cell lysate, Jurkat whole cell lysate, 293T whole cell lysate, K562 whole cell lysate, SH-SY5Y whole cell lysate, HL-60 whole cell lysateAll lanes: ZRANB1 antibody at 1:2000SecondaryGoat polyclonal to rabbit IgG at 1/50000Predicted band size: 81 kDaObserved band size: 81 kDa

ADDITIONAL INFORMATION

Product Categories/Family for anti-ZRANB1 antibody	Cell Biology
--	--------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	110815809
NCBI GeneID	54764
NCBI Accession #	NP_060050.2
NCBI GenBank Nucleotide #	NM_017580.2
UniProt Accession #	Q9UGI0; Q5SQP6; Q69YK3; B4DZ98; D3DRF4
NCBI Official Full Name	ubiquitin thioesterase ZRANB1
NCBI Official Synonym Full Names	zinc finger RANBP2-type containing 1
NCBI Official Symbol	ZRANB1
NCBI Official Synonym Symbols	TRABID

NCBI Protein Information	ubiquitin thioesterase ZRANB1
UniProt Protein Name	Ubiquitin thioesterase ZRANB1
UniProt Gene Name	ZRANB1
UniProt Synonym Gene Names	TRABID; hTrabid

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/zranb1-antibody-immunohistochemistry-western-blot-elisa/235502>