

Mouse anti-Human, Mouse CPSF6 Monoclonal Antibody | anti-CPSF6 antibody

CPSF6 (CFIM68, Cleavage and Polyadenylation Specificity Factor Subunit 6, Cleavage and Polyadenylation Specificity Factor 68kD Subunit, Pre-mRNA Cleavage Factor Im 68kD Subunit, Protein HPBR11-4/7)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA24101	Mouse	Human, Mouse	ELISA, Western Blot, Immunofluorescence

PRODUCT SYNONYMS


CPSF6; Monoclonal Antibody; CPSF6 (CFIM68; Cleavage and Polyadenylation Specificity Factor Subunit 6; Cleavage and Polyadenylation Specificity Factor 68kD Subunit; Pre-mRNA Cleavage Factor Im 68kD Subunit; Protein HPBR11-4/7); Anti -CPSF6 (CFIM68; anti-CPSF6 antibody

PRODUCT SPECIFICATIONS


Host	Mouse
Reactivity	Human, Mouse
Clonality	Monoclonal
Isotype	IgG2a,k
Clone Number	3F11
Specificity	Recognizes human CPSF6. Species Crossreactivity: mouse.
Purity/Purification	Affinity Purified Purified by Protein A affinity chromatography.
Form/Format	Supplied as a liquid in PBS, pH 7.2.
Sequence	ISPSANNGDA PEDRDYMDTL PPTVGDDVGK GAAPNVVYTY TGKRIALYIG NLTWWTTDED LTEAVHSLGV NDILEIKFFE NRANGQSKGF ALVGVGSEAS
Applicable Applications for anti-CPSF6 antibody	ELISA, WB (Western Blot), IF (Immunofluorescence)
Application Notes	Suitable for use in Immunofluorescence, ELISA and Western Blot. Dilution: Immunofluorescence: 10ug/ml
Immunogen	Partial recombinant corresponding to aa37-137 from human CPSF6 (NP_008938) with GST tag. MW of the GST tag alone is 26kD.
Preparation and Storage	May be stored at 4 degree C for short-term only. Aliquot to avoid repeated freezing and thawing. Store at -20 degree C. Aliquots are stable for at least 12 months. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap.




WB (Western Blot)
Western Blot detection against Immunogen (37.11kD).




WB (Western Blot)
CPSF6 monoclonal antibody Western Blot analysis of CPSF6 expression in HeLa.




Application Data
Detection limit for recombinant GST tagged CPSF6 is ~0.03ng/ml as a capture antibody.



IF (Immunofluorescence)
Immunofluorescence of monoclonal antibody to CPSF6 on HeLa cell. [antibody concentration 10ug/ml].



WB (Western Blot)
Western Blot analysis of CPSF6 expression in transfected 293T cell line by CPSF6 monoclonal antibody. Lane 1: CPSF6 transfected lysate (59.21kD). Lane 2: Non-transfected lysate.



WB (Western Blot)
CPSF6 monoclonal antibody Western Blot analysis of CPSF6 expression in Raw 264.7.

ADDITIONAL INFORMATION

Related Product Information for anti-CPSF6 antibody	Component of the cleavage factor Im complex (CFIm) that plays a key role in pre-mRNA 3'-processing. Involved in association with NUDT21/CPSF5 in pre-mRNA 3'-end poly(A) site cleavage and poly(A) addition. CPSF6 binds to cleavage and polyadenylation RNA substrates and promotes RNA looping.
Product Categories/Family for anti-CPSF6 antibody	Antibodies; Abs to Proteins

NCBI AND UNIPROT INFORMATION

NCBI GI #	162329583
NCBI GeneID	11052
NCBI Accession #	NP_008938.2
NCBI GenBank Nucleotide #	NM_007007.2
UniProt Accession #	Q16630; Q53ES1; Q9BSJ7; Q9BW18; A8K7K9
Molecular Weight	59,210 Da
NCBI Official Full Name	cleavage and polyadenylation specificity factor subunit 6
NCBI Official Synonym Full Names	cleavage and polyadenylation specific factor 6, 68kDa
NCBI Official Symbol	CPSF6
NCBI Official Synonym Symbols	CFIM; CFIM68; HPBRII-4; HPBRII-7
NCBI Protein Information	cleavage and polyadenylation specificity factor subunit 6; protein HPBRII-4/7; CPSF 68 kDa subunit; pre-mRNA cleavage factor Im (68kD); pre-mRNA cleavage factor I, 68kD subunit; cleavage factor Im complex 68 kDa subunit; pre-mRNA cleavage factor Im 68 kDa subunit; cleavage and polyadenylation specificity factor 68 kDa subunit
UniProt Protein Name	Cleavage and polyadenylation specificity factor subunit 6
UniProt Gene Name	CPSF6
UniProt Synonym Gene Names	CFIM68; CFIm68
UniProt Entry Name	CPSF6_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/monoclonal/cpsf6-antibody-clone-3f11-western-blot-immunofluorescence-elisa/24101>