

Mouse Phosphorylated Myosin Light Chain (PMLC) ELISA Kit | PMLC elisa kit

Mouse Phosphorylated Myosin Light Chain (PMLC) ELISA Kit

CATALOG #
AAA247357

REACTIVITY
Mouse


PRODUCT SYNONYMS

Phosphorylated Myosin Light Chain (PMLC); Mouse Phosphorylated Myosin Light Chain (PMLC) ELISA Kit; PMLC elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of PMLC. No significant cross-reactivity or interference between PMLC and analogues was observed. NOTE: Limited by current skills and knowledge, it is impossible for us to complete the cross-reactivity detection between PMLC and all the analogues, therefore, cross reaction may still exist in some cases.
Assay Type	Quantitative Competitive
Samples	Serum, plasma, cell culture supernatants, body fluid and tissue homogenate
Sensitivity	1.0 pg/mL
Preparation and Storage	Store at 2-8 degree C. The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for PMLC elisa kit	Principle of the Assay: PMLC ELISA kit applies the competitive enzyme immunoassay technique utilizing a polyclonal anti-PMLC antibody and an PMLC-HRP conjugate. The assay sample and buffer are incubated together with PMLC-HRP conjugate in pre-coated plate for one hour. After the incubation period, the wells are decanted and washed five times. The wells are then incubated with a substrate for HRP enzyme. The product of the enzyme-substrate reaction forms a blue colored complex. Finally, a stop solution is added to stop the reaction, which will then turn the solution yellow. The intensity of color is measured spectrophotometrically at 450nm in a microplate reader. The intensity of the color is inversely proportional to the PMLC concentration since PMLC from samples and PMLC-HRP conjugate compete for the anti-PMLC antibody binding site. Since the number of sites is limited, as more sites are occupied by PMLC from the sample, fewer sites are left to bind PMLC-HRP conjugate. A standard curve is plotted relating the intensity of the color (O.D.) to the concentration of standards. The PMLC concentration in each sample is interpolated from this standard curve. Intended Uses: This PMLC ELISA kit is a 1.5 hour solid-phase ELISA designed for the quantitative determination of Mouse PMLC. This ELISA kit for research use only, not for therapeutic or test applications!
Product Categories/Family for PMLC elisa kit	Epigenetics and Nuclear Signaling; Cancer; Metabolism

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/mouse-elisa-kits/phosphorylated-myosin-light-chain-pmlc/247357>