

Porcine REN (Renin) ELISA Kit | REN elisa kit

Porcine REN (Renin) ELISA Kit

 CATALOG #
AAA248632

 REACTIVITY
Porcine

PRODUCT SYNONYMS

REN (Renin); Porcine REN (Renin) ELISA Kit; REN elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Porcine
Specificity	This assay has high sensitivity and excellent specificity for detection of RELN. No significant cross-reactivity or interference between RELN and analogues was observed.
Sequence Length	406
Assay Type	Sandwich ELISA, Double Antibody
Samples	Serum, Plasma, Cell Culture Supernatant, cell or tissue lysate, Other liquid samples
Detection Range	78.125-5000pg/ml
Sensitivity	46.875pg/ml
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level RELN were tested 20 times on one plate, respectively. Intra-Assay: CV<8%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level RELN were tested on 3 different plates, 8 replicates in each plate. CV (%) = SD/meanX100. Inter-Assay: CV<10%
Preparation and Storage	Store entire kit at 2-8C for short-term. For longer-term, please store the microplate & standard at -20C, while the remaining reagents can be stored at 2-8C

IMAGES

Typical Data & Standard Curve

Results of a typical standard operation of a REN ELISA Kit are listed below. This standard curve was generated at our lab for demonstration purpose only. Users shall obtain standard curve as per experiment by themselves. (N/A=not applicable)

X	pg/ml	0	78.125	156.25	312.5	625	1250	2500	5000
Y	OD450	0.079	0.121	0.160	0.281	0.464	0.925	1.584	2.451

Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for REN elisa kit

Principle of the Assay: This kit was based on sandwich enzyme-linked immune-sorbent assay technology. Anti-RELN antibody was pre-coated onto 96-well plates. And the biotin conjugated anti-RELN antibody was used as detection antibodies. The standards, test samples and biotin conjugated detection antibody were added to the wells subsequently, and washed with wash buffer. HRP-Streptavidin was added and unbound conjugates were washed away with wash buffer. TMB substrates were used to visualize HRP enzymatic reaction. TMB was catalyzed by HRP to produce a blue color product that changed into yellow after adding acidic stop solution. The density of yellow is proportional to the RELN amount of sample captured in plate. Read the O.D. absorbance at 450nm in a microplate reader, and then the concentration of RELN can be calculated.

NCBI AND UNIPROT INFORMATION

NCBI GI #	4506475
NCBI GeneID	5972
NCBI Accession #	NP_000528.1
NCBI GenBank Nucleotide #	NM_000537.3
UniProt Accession #	P00797; Q6FI38; Q6T5C2
Molecular Weight	44,726 Da
NCBI Official Full Name	renin preproprotein
NCBI Official Synonym Full Names	renin
NCBI Official Symbol	REN
NCBI Official Synonym Symbols	HNFJ2
NCBI Protein Information	renin
UniProt Protein Name	Renin
UniProt Gene Name	REN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/porcine-elisa-kits/ren-renin/248632>