

Mouse anti-Human PD-L1 Monoclonal Antibody | anti-CD274 antibody

Anti-PD-L1 Antibody (APC), Mouse Monoclonal


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA254371	Mouse	Human	Flow Cytometry, Functional Assay

PRODUCT SYNONYMS

PD-L1; Monoclonal Antibody; Anti-PD-L1 Antibody (APC); Mouse Monoclonal; PD-L1/B7-H1/CD274 Antibody (APC); Mouse MAb; CD274 molecule; Anti-B7-H Antibody; Anti-B7-H1 Antibody; Anti-B7H1 Antibody; Anti-PD-L1 Antibody; Anti-PDCD1L1 Antibody; Anti-PDCD1LG1 Antibody; Anti-PDL1 Antibody; anti-CD274 antibody

PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human
Clonality	Monoclonal
Isotype	Mouse IgG1
Clone Number	36
Specificity	Human PD-L1/B7-H1/CD274
Form/Format	Liquid; Aqueous solution containing 0.5% BSA and 0.09% sodium azide
Concentration	5ul/Test, 0.1mg/ml (varies by lot)
Applicable Applications for anti-CD274 antibody	FCM/FACS (Flow Cytometry)
Immunogen	Recombinant Human PD-L1/B7-H1/CD274 Protein
Conjugation	APC
Preparation	This antibody was produced from a hybridoma resulting from the fusion of a mouse myeloma with B cells obtained from a mouse immunized with purified, recombinant Human PD-L1/B7-H1/CD274 (rh PD-L1/B7-H1/CD274) and conjugated with APC under optimum conditions, the unreacted APC was removed.
Preparation and Storage	This antibody can be stored at 2-8 degree C for twelve months without detectable loss of activity. Protected from prolonged exposure to light. Do not freeze! Sodium azide is toxic to cells and should be disposed of properly. Flush with large volumes of water during disposal.



FCM/FACS (Flow Cytometry)
Flow cytometric analysis of Human PDL1(CD274) expression on HCC827 cells. Cells were stained with APC-conjugated anti-Human PDL1(CD274). The fluorescence histograms were derived from gated events with the forward and side light-scatter characteristics of intact cells.

ADDITIONAL INFORMATION

Related Product Information for anti-CD274 antibody	Programmed death-1 ligand-1 (PD-L1, CD274, B7-H1) has been identified as the ligand for the immunoinhibitory receptor programmed death-1(PD1/PDCD1) and has been demonstrated to play a role in the regulation of immune responses and peripheral tolerance. PD-L1/B7-H1 is a member of the growing B7 family of immune molecules and this protein contains one V-like and one C-like Ig domain within the extracellular domain, and together with PD-L2, are two ligands for PD1 which belongs to the CD28/CTLA4 family expressed on activated lymphoid cells. By binding to PD1 on activated T-cells and B-cells, PD-L1 may inhibit ongoing T-cell responses by inducing apoptosis and arresting cell-cycle progression. Accordingly, it leads to growth of immunogenic tumor growth by increasing apoptosis of antigen specific T cells and may contribute to immune evasion by cancers. PD-L1 thus is regarded as promising therapeutic target for human autoimmune disease and malignant cancers.
Product Categories/Family for anti-CD274 antibody	Cancer Drug Targets
References	Iwai Y, et al. (2002) Involvement of PD-L1 on tumor cells in the escape from host immune system and tumor immunotherapy by PD-L1 blockade. Proc Natl Acad Sci U S A. 99(19): 12293-7.Ghebeh H, et al. (2006) The B7-H1 (PD-L1) T lymphocyte-inhibitory molecule is expressed in breast cancer patients with infiltrating ductal carcinoma: correlation with important high-risk prognostic factors. Neoplasia. 8(3): 190-8.Salih HR, et al. (2006) The role of leukemia-derived B7-H1 (PD-L1) in tumor-T-cell interactions in humans. Exp Hematol. 34(7): 888-94.Wilcox RA, et al. (2009) B7-H1 (PD-L1, CD274) suppresses host immunity in T-cell lymphoproliferative disorders. Blood. 114(10): 2149-58.Ruggiero A, et al. (2009) Crystal structure of PD-L1, a ribosome inactivating protein from Phytolacca dioica L. leaves with the property to induce DNA cleavage. Biopolymers. 91(12): 1135-42.

NCBI AND UNIPROT INFORMATION

NCBI GI #	7661534
NCBI GeneID	29126
NCBI Accession #	NP_054862.1
NCBI GenBank Nucleotide #	NM_014143.3
UniProt Accession #	Q9NZQ7; Q14CJ2; Q2V8D5; Q66RK1; Q6WEX4; Q9NUZ5; B2RBA2; B4DU27
NCBI Official Full Name	programmed cell death 1 ligand 1 isoform a
NCBI Official Synonym Full Names	CD274 molecule
NCBI Official Symbol	CD274
NCBI Official Synonym Symbols	B7-H; B7H1; PDL1; PD-L1; PDCD1L1; PDCD1LG1

NCBI Protein Information	programmed cell death 1 ligand 1
UniProt Protein Name	Programmed cell death 1 ligand 1
UniProt Gene Name	CD274
UniProt Synonym Gene Names	B7H1; PDCD1L1; PDCD1LG1; PDL1; PD-L1; PDCD1 ligand 1; Programmed death ligand 1; B7-H1
UniProt Entry Name	PD1L1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/monoclonal/pd-l1-antibody-clone-36-flow-cytometry-elisa/254371>