

Rabbit anti-Human CD46 Polyclonal Antibody | anti-CD46 antibody

Anti-CD46 Antibody, Rabbit Polyclonal


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA255548	Rabbit	Human	Immunoprecipitation, Immunohistochemistry, ELISA, Western Blot

PRODUCT SYNONYMS

CD46; Polyclonal Antibody; Anti-CD46 Antibody; Rabbit Polyclonal; CD46 Antibody; Rabbit PAb; Antigen Affinity Purified; CD46 molecule; complement regulatory protein; Anti-AHUS2 Antibody; Anti-MCP Antibody; Anti-MIC10 Antibody; Anti-TLX Antibody; Anti-TRA2.10 Antibody; anti-CD46 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human CD46
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; 0.2um filtered solution in PBS
Applicable Applications for anti-CD46 antibody	IP (Immunoprecipitation), IHC (Immunohistochemistry), ELISA, WB (Western Blot)
Immunogen	Recombinant Human CD46 protein
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with purified, recombinant Human CD46 (rh CD46). CD46 specific IgG was purified by Human CD46 affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Preservative-Free. Avoid repeated freeze-thaw cycles.




IP (Immunoprecipitation)

CD46 was immunoprecipitated using: Lane A: 0.5 mg 293T Whole Cell Lysate, 0.5 uL anti-CD46 rabbit polyclonal antibody and 15 uL of 50 % Protein G agarose. Primary antibody: Anti-CD46 rabbit polyclonal antibody, at 1:1000 dilution. Secondary antibody: DyLight 800-labeled antibody to rabbit IgG (H+L), at 1:5000 dilution. Developed using the Odyssey technique. Performed under reducing conditions. Predicted band size: 44 kDa. Observed band size: 62 kDa.



WB (Western Blot)

Anti-CD46 rabbit polyclonal antibody at 1:500 dilution. Lane A: Hela Membrane Lysate. Lysates/proteins at 20 ug per lane. Secondary: Goat Anti-Rabbit IgG H&L (DyLight800) at 1/10000 dilution. Developed using the Odyssey technique. Performed under reducing conditions. Predicted band size: 44 kDa. Observed band size: 62 kDa.



IHC (Immunohistochemistry)

Immunochemical staining of human CD46 in human placenta with rabbit polyclonal antibody at 1:10000 dilution, formalin-fixed paraffin embedded sections. Positive staining was localized to membrane of trophoblast.

ADDITIONAL INFORMATION

Related Product Information for anti-CD46 antibody	CD46, also known as Membrane Cofactor Protein (MCP), is a complement regulatory protein. CD46 is a type 1 membrane protein that plays an important inhibitory role in the complement system. CD46 is expressed in white blood cells, platelets, epithelial cells, and fibroblasts. Human CD46 shares 5% amino acid sequence identity with mouse and rat CD46. The importance of CD46 to complement regulation is underscored by the observation that genetic loss of CD46 leads to development of atypical hemolytic-uremic syndrome (aHUS), a disease characterized by uncontrolled complement activation. CD46 is implicated in the development and/or progression of selected cancer types.
Product Categories/Family for anti-CD46 antibody	Complement Activation Pathways
References	Lublin D.M., et al., (1988), Molecular cloning and chromosomal localization of human membrane cofactor protein (MCP). Evidence for inclusion in the multigene family of complement-regulatory proteins. J. Exp. Med. 168:181-194. Purcell D.F., et al., (1991), Alternatively spliced RNAs encode several isoforms of CD46 (MCP), a regulator of complement activation. Immunogenetics 33:335-344. Post T.W., et al., (1991), Membrane cofactor protein of the complement system: alternative splicing of serine/threonine/proline-rich exons and cytoplasmic tails produces multiple isoforms that correlate with protein phenotype. J. Exp. Med. 174:93-102.

NCBI AND UNIPROT INFORMATION

NCBI GI #	119613877
NCBI GeneID	4179
Molecular Weight	36,826 Da
NCBI Official Full Name	CD46 antigen, complement regulatory protein, isoform CRA_i
NCBI Official Synonym Full Names	CD46 molecule
NCBI Official Symbol	CD46
NCBI Official Synonym Symbols	MCP; TLX; AHUS2; MIC10; TRA2.10
NCBI Protein Information	membrane cofactor protein

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/cd46-antibody-immunoprecipitation-immunohistochemistry-western-blot-elisa/255548>