

Rabbit anti-Human TMIGD2 Polyclonal Antibody | anti-TMIGD2 antibody

Anti-TMIGD2 Antibody, Rabbit Polyclonal

CATALOG # AAA256078	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

TMIGD2; Polyclonal Antibody; Anti-TMIGD2 Antibody; Rabbit Polyclonal; TMIGD2 Antibody; Rabbit PAb; Antigen Affinity Purified; transmembrane and immunoglobulin domain containing 2; Anti-IGPR-1 Antibody; Anti-IGPR1 Antibody; Anti-TPC1 Antibody; anti-TMIGD2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human TMIGD2
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; PBS, pH7.0 with 0.03% Proclin300
Applicable Applications for anti-TMIGD2 antibody	IHC (Immunohistochemistry)
Immunogen	E Coli-derived Human TMIGD2 fragment
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with E Coli-derived Human TMIGD2 fragment, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunochemical staining of human TMIGD2 in human gallbladder with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohistochemistry)

Immunochemical staining of human TMIGD2 in human duodenum with rabbit polyclonal antibody at 1:100 dilution, formalin-fixed paraffin embedded sections.

ADDITIONAL INFORMATION

Related Product Information for anti-TMIGD2 antibody	The orthologue of human IGPR-1 is found only in eukaryotes, including primates, the guinea pig, canines, felines, dolphins, bovines, the llama, bats, the common shrew, and horses. Of interest, the IGPR-1 gene is absent in mouse and rat genomes. The immunoglobulin domain of IGPR-1 was predicted to be Ig V (variable) fold and was found to be highly similar to the Ig domain of myelin-associated glycoprotein.
Product Categories/Family for anti-TMIGD2 antibody	Cancer Drug Targets
References	Rahimi N, Rezazadeh K, Mahoney JE, Hartsough E, Meyer RD. Identification of IGPR-1 as a novel adhesion molecule involved in angiogenesis. Nusrat A, ed. Molecular Biology of the Cell. 2012;23(9):1646-1656.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/tmigd2-antibody-immunohistochemistry-elisa/256078>