

Rabbit anti-Human CSTF-77/CSTF3 Polyclonal Antibody | anti-CSTF3 antibody

Anti-CSTF-77/CSTF3 Antibody, Rabbit Polyclonal


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA256201	Rabbit	Human	Immunofluorescence, Immunocytochemistry, Western Blot

PRODUCT SYNONYMS

CSTF-77/CSTF3; Polyclonal Antibody; Anti-CSTF-77/CSTF3 Antibody; Rabbit Polyclonal; CSTF-77/CSTF3 Antibody; Rabbit PAb; Antigen Affinity Purified; cleavage stimulation factor; 3' pre-RNA; subunit 3; 77kDa; Anti-CSTF-77 Antibody; anti-CSTF3 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human CSTF-77/CSTF3
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; PBS, pH7.0 with 0.03% Proclin300
Applicable Applications for anti-CSTF3 antibody	IF (Immunofluorescence), ICC (Immunocytochemistry), WB (Western Blot)
Immunogen	E Coli-derived Human CSTF-77/CSTF3 fragment
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with E Coli-derived Human CSTF-77/CSTF3 fragment, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles.



IF (Immunofluorescence)

Immunofluorescence staining of CSTF3 in A431 cells. Cells were fixed with 4% PFA, permeabilized with 0.1% Triton X-100 in PBS, blocked with 10% serum, and incubated with rabbit anti-Human CSTF3 polyclonal antibody (dilution ratio 1:200) at 4 degree C overnight. Then cells were stained with the Alexa Fluor488-conjugated Goat Anti-rabbit IgG secondary antibody (green). Positive staining was localized to Nucleus.



WB (Western Blot)

Anti-CSTF3 rabbit polyclonal antibody at 1:500 dilution Lane A: HeLa Whole Cell Lysate Lysates/proteins at 30 ug per lane. Secondary Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution. Developed using the ECL technique. Performed under reducing conditions. Predicted band size: 83 kDa (We are unsure as to the identity of these extra bands).

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/cstf-77-cstf3-antibody-immunofluorescence-immunocytochemistry-western-blot-elisa/256201>