

Rabbit anti-Human PNMAL2 Polyclonal Antibody | anti-PNMA8B antibody

Anti-PNMAL2 Antibody, Rabbit Polyclonal

CATALOG # AAA256985	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

PNMAL2; Polyclonal Antibody; Anti-PNMAL2 Antibody; Rabbit Polyclonal; PNMAL2/PNMA8B Antibody; Rabbit PAb; Antigen Affinity Purified; anti-PNMA8B antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human PNMAL2/PNMA8B
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; PBS, pH7.0 with 0.03% Proclin300
Applicable Applications for anti-PNMA8B antibody	IHC (Immunohistochemistry)
Immunogen	E Coli-derived Human PNMAL2/PNMA8B fragment
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with E Coli-derived Human PNMAL2/PNMA8B fragment, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunochemical staining of human PNMA2 in human adrenal gland with rabbit polyclonal antibody at 1:500 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohistochemistry)

Immunochemical staining of human PNMA2 in human brain with rabbit polyclonal antibody at 1:500 dilution, formalin-fixed paraffin embedded sections.

ADDITIONAL INFORMATION

Related Product Information for anti-PNMA8B antibody	PNMA8B (PNMA Family Member 8B, also known as KIAA1183 and PNMAL2), located on human chromosome 19q13.32, belongs to the PNMA family. Structurally, the encoded protein is reported to be 68615 Da in mass. The PNMA8B (also known as PNMAL2) gene is conserved in chimpanzee, Rhesus monkey, dog, cow, mouse, and rat. 77 organisms have orthologs with human gene PNMA8B. An important paralog of this gene is PNMA8A.
References	Lipp JJ, et al. (2015) Sr protein kinases promote splicing of nonconsensus introns. Nat Struct Mol Biol 22 (8): 611-617.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/pnmal2-antibody-immunohistochemistry-elisa/256985>