

Rabbit anti-Human DHX57 Polyclonal Antibody | anti-DHX57 antibody

Anti-DHX57 Antibody, Rabbit Polyclonal

CATALOG # AAA256988	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

DHX57; Polyclonal Antibody; Anti-DHX57 Antibody; Rabbit Polyclonal; DHX57 Antibody; Rabbit PAb; Antigen Affinity Purified; Anti-DDX57 Antibody; anti-DHX57 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human DHX57
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; PBS, pH7.0 with 0.03% Proclin300
Applicable Applications for anti-DHX57 antibody	IHC (Immunohistochemistry)
Immunogen	E Coli-derived Human DHX57 fragment
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with E Coli-derived Human DHX57 fragment, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunochemical staining of human DHX57 in human kidney with rabbit polyclonal antibody at 1:200 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohistochemistry)

Immunochemical staining of human DHX57 in human testis with rabbit polyclonal antibody at 1:200 dilution, formalin-fixed paraffin embedded sections.

ADDITIONAL INFORMATION

Related Product Information for anti-DHX57 antibody	DHX57 (DExH-Box Helicase 57, also known as DDX57) is located on human chromosome 2p22.1. DHX57 is a member of the DEAD box helicases family and the DEAH subfamily of helicases. The DHX57 gene is conserved in chimpanzee, Rhesus monkey, dog, cow, mouse, rat, chicken, zebrafish, fruit fly, mosquito, and frog. DHX57 protein is probable ATP-binding RNA helicase. DHX57 has nucleic acid binding and helicase activity. An important paralog of this gene is DHX36.
References	Lu AT, et al. (2016) Genetic variants near mlst8 and dhx57 affect the epigenetic age of the cerebellum. Nat Commun 7 10561.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/dhx57-antibody-immunohistochemistry-elisa/256988>