

Rabbit anti-Human ATF5 Polyclonal Antibody | anti-ATF5 antibody

Anti-ATF5 Antibody, Rabbit Polyclonal


CATALOG # AAA257689	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunoprecipitation, Western Blot
-------------------------------	-----------------------	----------------------------	--

PRODUCT SYNONYMS

ATF5; Polyclonal Antibody; Anti-ATF5 Antibody; Rabbit Polyclonal; ATF5 Antibody; Rabbit PAb; Antigen Affinity Purified; Anti-ATFX Antibody; Anti-HMFN0395 Antibody; activating transcription factor 5; anti-ATF5 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human ATF5
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid. PBS, pH7.0 with 0.03% Proclin300
Applicable Applications for anti-ATF5 antibody	IP (Immunoprecipitation), WB (Western Blot)
Immunogen	E Coli-derived Human ATF5 fragment
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with E Coli-derived Human ATF5 fragment, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles. This antibody is shipped as liquid solution at ambient temperature. Upon receipt, store it immediately at the temperature recommended below.



IP (Immunoprecipitation)

ATF5 was immunoprecipitated using: Lane A: 0.5 mg HEK-293 Whole Cell Lysate 4 uL anti-ATF5 rabbit polyclonal antibody and 60 ug of Immnomagnetic beads Protein A/G. Primary antibody: Anti-ATF5 rabbit polyclonal antibody, at 1:100 dilution Secondary antibody: Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution Developed using the ECL technique. Performed under reducing conditions. Predicted band size: 31 kDa Observed band size :36 kDa



WB (Western Blot)

Anti-ATF5 rabbit polyclonal antibody at 1:500 dilution Lane A: Jurkat Whole Cell Lysate Lane B: HEK-293 Whole Cell Lysate Lane C: SH-SY5Y Whole Cell Lysate Lysates/proteins at 30 ug per lane. Secondary Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution. Developed using the ECL technique. Performed under reducing conditions. Predicted band size: 31 kDa Observed band size: 35 kDa

ADDITIONAL INFORMATION

Product Categories/Family for anti-ATF5 antibody

IL1 signaling pathway

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/atf5-antibody-immunoprecipitation-western-blot-elisa/257689>