

Rabbit anti-Human OTX1 Polyclonal Antibody | anti-OTX1 antibody

OTX1 Antibody, Rabbit PAb, Antigen Affinity Purified

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA258275	Rabbit	Human	Immunofluorescence, Immunocytochemistry, Immunohistochemistry


PRODUCT SYNONYMS

OTX1; Polyclonal Antibody; OTX1 Antibody; Rabbit PAb; Antigen Affinity Purified; Anti-OTX1 Antibody; Rabbit Polyclonal; anti-OTX1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human OTX1
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid. PBS, pH7.0 with 0.03% Proclin300
Applicable Applications for anti-OTX1 antibody	IF (Immunofluorescence), ICC (Immunocytochemistry), IHC (Immunohistochemistry)
Immunogen	E Coli-derived Human OTX1 fragment
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with E Coli-derived Human OTX1 fragment, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2 degree C-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Avoid repeated freeze-thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunochemical staining of human OTX1 in human skin with rabbit polyclonal antibody at 1:200 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohistochemistry)

Immunochemical staining of human OTX1 in human brain with rabbit polyclonal antibody at 1:200 dilution, formalin-fixed paraffin embedded sections.



IF (Immunofluorescence)

Immunofluorescence staining of OTX1 in HeLa cells. Cells were fixed with 4% PFA, permeabilized with 0.3% Triton X-100 in PBS, blocked with 10% serum, and incubated with rabbit anti-Human OTX1 polyclonal antibody (dilution ratio 1:100) at 4 degree C overnight. Then cells were stained with the Alexa Fluor488-conjugated Goat Anti-rabbit IgG secondary antibody (green) and counterstained with DAPI (blue). Positive staining was localized to Nucleus.

ADDITIONAL INFORMATION

Related Product Information for anti-OTX1 antibody

Background: Otx1 is one of the homeobox-containing transcription factors frequently implicated in the development of the central nervous system. Orthodenticle homeobox 1 (OTX1), a transcription factor containing a bicoid-like homeodomain, plays a role in brain and sensory organ development. OTX1 is involved in human colon carcinogenesis and may serve as a potential therapeutic target for human colorectal cancer. OTX1 has been described as a critical molecule for axon refinement in the developing cerebral cortex of mice, and its activity in breast cancer suggests a synergistic function with p53 in CSC differentiation. Wild-type p53 may regulate cellular differentiation by an alternative pathway controlling OTX1 signaling only in breast cancer cells and not in physiological conditions.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/otx1-antibody-immunofluorescence-immunocytochemistry-immunohistochemistry-elisa/258275>