

Rabbit anti-Human HIST1H2BB Polyclonal Antibody | anti-HIST1H2BB antibody

Anti-HIST1H2BB Antibody, Rabbit Polyclonal

CATALOG # AAA258766	HOST Rabbit	REACTIVITY Human	APPLICATIONS Immunohistochemistry, Western Blot
-------------------------------	-----------------------	----------------------------	---


PRODUCT SYNONYMS

HIST1H2BB; Polyclonal Antibody; Anti-HIST1H2BB Antibody; Rabbit Polyclonal; histone cluster 1; H2bb; Anti-H2B.1 Antibody; Anti-H2B/f Antibody; Anti-H2BFF Antibody; anti-HIST1H2BB antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	Rabbit IgG
Specificity	Human HIST1H2BB
Purity/Purification	Protein A & Antigen Affinity
Form/Format	Liquid; 0.2um filtered solution in PBS
Applicable Applications for anti-HIST1H2BB antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	A synthetic peptide corresponding to the center region of the Human HIST1H2BB
Preparation	Produced in rabbits immunized with a synthetic peptide corresponding to the center region of the Human HIST1H2BB, and purified by antigen affinity chromatography.
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Preservative-Free. Avoid repeated freeze-thaw cycles.

IMAGES




IHC (Immunohistochemisry)

Immunochemical staining of human HIST1H2BB in human breast carcinoma with rabbit polyclonal antibody at 1:500 dilution, formalin-fixed paraffin embedded sections.



IHC (Immunohiostchemistry)

Immunochemical staining of human HIST1H2BB in human stomach with rabbit polyclonal antibody at 1:500 dilution, formalin-fixed paraffin embedded sections.



WB (Western Blot)

Anti-HIST1H2BB rabbit polyclonal antibody at 1:500 dilution
 Lane A: Jurkat Whole Cell Lysate
 Lane B: 293 Whole Cell Lysate
 Lysates/proteins at 30 ug per lane.
 Secondary Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution.
 Developed using the ECL technique.
 Performed under reducing conditions.
 Predicted band size: 14 kDa
 Observed band size: 14 kDa

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/hist1h2bb-antibody-immunohistochemistry-western-blot-elisa/258766>