

Rabbit IKK alpha/beta Polyclonal Antibody | anti-CHUK antibody

Anti-IKK alpha/beta Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA261549	Rabbit	Human, Mouse, Rat, Bovine, Chicken, Zebrafish	Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

IKK alpha/beta; Polyclonal Antibody; Anti-IKK alpha/beta Antibody; CHUK; IKKA; TCF16; Inhibitor of nuclear factor kappa-B kinase subunit alpha; I-kappa-B kinase alpha; IKK-A; IKK-alpha; IkbKA; IkappaB kinase; Conserved helix-loop-helix ubiquitous kinase; I-kappa-B kinase 1; IKK1; Nuclear factor NF-kappa-B inhibitor kinase alpha; NFKBIA; Transcription factor 16; TCF-16; IKBKB; IKKB; Inhibitor of nuclear factor kappa-B kinase subunit beta; I-kappa-B-kinase beta; IKK-B; IKK-beta; IkbKB; I-kappa-B kinase 2; IKK2; Nuclear factor NF-kappa-B inhibitor kinase beta; NFKBIKB; anti-CHUK antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat, Bovine, Chicken, Zebrafish
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of IKK alpha/beta protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium Phosphate, 0.87% Sodium Chloride, pH 7.3, 30% Glycerol, and 0.01% Sodium Azide.
Sequence Length	745
Applicable Applications for anti-CHUK antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human IKK alpha/beta. The exact sequence is proprietary.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemical analysis of IKK alpha/beta staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of IKK alpha/beta expression in HepG2 (A), HEK293T (B), NIH3T3 (C), mouse brain (D), rat heart (E) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-CHUK antibody	Rabbit polyclonal antibody to IKK alpha/beta
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	317373368
NCBI GeneID	1147
UniProt Accession #	O15111; O14666; Q13132; Q5W0I4; Q92467
Molecular Weight	84,640 Da
NCBI Official Full Name	Inhibitor of nuclear factor kappa-B kinase subunit alpha
NCBI Official Synonym Full Names	conserved helix-loop-helix ubiquitous kinase
NCBI Official Symbol	CHUK
NCBI Official Synonym Symbols	IKK1; IKKA; IKBKA; TCF16; NFKBIKA; IKK-alpha
NCBI Protein Information	inhibitor of nuclear factor kappa-B kinase subunit alpha
UniProt Protein Name	Inhibitor of nuclear factor kappa-B kinase subunit alpha
UniProt Gene Name	CHUK
UniProt Synonym Gene Names	IKKA; TCF16; I-kappa-B kinase alpha; IKK-A; IKK-alpha; IkbKA; IkappaB kinase; IKK1; NFKBIKA; TCF-16
UniProt Entry Name	IKKA_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/polyclonal/ikk-alpha-beta-antibody-immunohistochemistry-western-blot-elisa/261549>