

Mouse CD48 ELISA Kit | CD48 elisa kit

Mouse CD48 ELISA Kit

CATALOG # AAA261742	REACTIVITY Mouse	APPLICATIONS ELISA
-------------------------------	----------------------------	------------------------------


PRODUCT SYNONYMS

CD48; Mouse CD48 ELISA Kit; BCM1; BLAST1; CD48 antigen; B-lymphocyte activation marker BLAST-1; BCM1 surface antigen; Leukocyte antigen MEM-102; SLAM family member 2; SLAMF2; Signaling lymphocytic activation molecule 2; TCT.1; CD48 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	The Mouse CD48 ELISA Kit allows for the detection and quantification of endogenous levels of natural and/or recombinant Mouse CD48 proteins within the range of 62.5 pg/ml - 4000 pg/ml.
Sequence Length	240
Samples	Cell Culture Supernatants, Serum, Plasma.
Sensitivity	10 pg/ml.
Applicable Applications for CD48 elisa kit	ELISA (Sandwich ELISA)
Preparation and Storage	Shipped and store at 4 degree C for 6 months, store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CD48 elisa kit	Principle of the Assay The Mouse CD48 ELISA (Enzyme-Linked Immunosorbent Assay) kit is an in vitro enzyme-linked immunosorbent assay for the quantitative measurement of Mouse CD48 in Cell Culture Supernatants, Serum, Plasma. This assay employs an antibody specific for Mouse CD48 coated on a 96-well plate. Standards and samples are pipetted into the wells and CD48 present in a sample is bound to the wells by the immobilized antibody. The wells are washed and biotinylated anti-Mouse CD48 antibody is added. After washing away unbound biotinylated antibody, HRP-conjugated streptavidin is pipetted to the wells. The wells are again washed, a TMB substrate solution is added to the wells and color develops in proportion to the amount of CD48 bound. The Stop Solution changes the color from blue to yellow, and the intensity of the color is measured at 450 nm. Background/Introduction: CD48 antigen (Cluster of Differentiation 48), also known as BLAST-1 or SLAMF2, is a protein that in humans is encoded by the CD48 gene. CD48 is a member of the CD2 subfamily of the immunoglobulin superfamily (IgSF) which includes SLAM (signaling lymphocyte activation molecules) proteins, such as CD84, CD150, CD229 and CD244. It is mapped to 1q23.3. CD48 is found on the surface of lymphocytes and other immune cells, dendritic cells and endothelial cells, and participates in activation and differentiation pathways in these cells. The encoded protein does not have a transmembrane domain, however, but is held at the cell surface by a GPI anchor via a C-terminal domain which maybe cleaved to yield a soluble form of the receptor.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	114872
NCBI GeneID	12506
UniProt Accession #	P18181; Q545K2
Molecular Weight	27,383 Da
NCBI Official Full Name	CD48 antigen
NCBI Official Synonym Full Names	CD48 antigen
NCBI Official Symbol	Cd48
NCBI Official Synonym Symbols	BCM1; BLAST; Bcm-1; BLAST1; SLAMF2; Sgp-60; BLAST-1; MEM-102; AI449234; AW610730
NCBI Protein Information	CD48 antigen
UniProt Protein Name	CD48 antigen
UniProt Gene Name	Cd48
UniProt Synonym Gene Names	Bcm-1; SLAMF2
UniProt Entry Name	CD48_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.