

Rabbit ZFP95 Polyclonal Antibody | anti-ZKSCAN5 antibody

Anti-ZFP95 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA262886	Rabbit	Human, Mouse, Rat	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

ZFP95; Polyclonal Antibody; Anti-ZFP95 Antibody; KIAA1015; Zinc finger protein with KRAB and SCAN domains 5; Zinc finger protein 95 homolog; Zfp-95; anti-ZKSCAN5 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of ZFP95 protein.
Purity/Purification	The antibody was purified by affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Sequence Length	839
Applicable Applications for anti-ZKSCAN5 antibody	ICC (Immunocytochemistry), IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human ZFP95. The exact sequence is proprietary.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of ZFP95 staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.



IHC (Immunohistochemistry)

Immunohistochemical analysis of ZFP95 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of ZFP95 expression in HeLa (A), RAW264.7 (B), H9C2 (C) whole cell lysates.

ADDITIONAL INFORMATION

Related Product Information for anti-ZKSCAN5 antibody	Rabbit polyclonal antibody to ZFP95
---	-------------------------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	969812480
NCBI GeneID	23660
NCBI Accession #	NP_001305011.1
NCBI GenBank Nucleotide #	NM_001318082.1
UniProt Accession #	Q9Y2L8; A4D280; D6W5S9
Molecular Weight	96,903 Da
NCBI Official Full Name	zinc finger protein with KRAB and SCAN domains 5 isoform a
NCBI Official Synonym Full Names	zinc finger with KRAB and SCAN domains 5
NCBI Official Symbol	ZKSCAN5
NCBI Official Synonym Symbols	ZFP95; ZFP-95; ZNF914; ZSCAN37
NCBI Protein Information	zinc finger protein with KRAB and SCAN domains 5
UniProt Protein Name	Zinc finger protein with KRAB and SCAN domains 5
UniProt Gene Name	ZKSCAN5
UniProt Synonym Gene Names	KIAA1015; ZFP95; Zfp-95
UniProt Entry Name	ZKSC5_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/zfp95-antibody-immunocytochemistry-immunofluorescence-immunohistochemistry-western-blot-elisa/262886>