

Mouse GRO gamma ELISA Kit | CXCL3 elisa kit

Mouse GRO gamma ELISA Kit

CATALOG #
AAA263112

REACTIVITY
Mouse


PRODUCT SYNONYMS

GRO gamma; Mouse GRO gamma ELISA Kit; GRO3; GROG; SCYB3; C-X-C motif chemokine 3; GRO-gamma(1-73); Growth-regulated protein gamma; GRO-gamma; Macrophage inflammatory protein 2-beta; MIP2-beta; CXCL3 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	The Mouse GRO gamma ELISA Kit allows for the detection and quantification of endogenous levels of natural and/or recombinant Mouse GRO gamma proteins within the range of 15.6 pg/ml - 1000 pg/ml.
Sequence Length	100
Samples	Cell Culture Supernates, Serum, Plasma
Sensitivity	10 pg/ml.
Preparation and Storage	Shipped and store at 4 degree C for 6 months, store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CXCL3 elisa kit	Principle of the Assay: The Mouse GRO gamma ELISA (Enzyme-Linked Immunosorbent Assay) kit is an in vitro enzyme-linked immunosorbent assay for the quantitative measurement of Mouse GRO gamma in Cell Culture Supernates, Serum, Plasma. This assay employs an antibody specific for Mouse GRO gamma coated on a 96-well plate. Standards and samples are pipetted into the wells and GRO gamma present in a sample is bound to the wells by the immobilized antibody. The wells are washed and biotinylated anti-Mouse GRO gamma antibody is added. After washing away unbound biotinylated antibody, HRP-conjugated streptavidin is pipetted to the wells. The wells are again washed, a TMB substrate solution is added to the wells and color develops in proportion to the amount of GRO gamma bound. The Stop Solution changes the color from blue to yellow, and the intensity of the color is measured at 450 nm. Background/Introduction: Chemokine (C-X-C motif) ligand 3 (CXCL3) is a small cytokine belonging to the CXC chemokine family. It is mapped to 14p2 in rat. CXCL3 controls migration and adhesion of monocytes and mediates its effects on its target cell by interacting with a cell surface chemokine receptor. It has been shown that CXCL3 regulates cell autonomously the migration of the precursors of cerebellar granule neurons toward the internal layers of cerebellum, during the morphogenesis of cerebellum. CXCL3 also play fundamental roles in the development, homeostasis and it has effects on cells of the central nervous system as well as on endothelial cells involved in angiogenesis or angiostasis.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	42600573
NCBI GeneID	330122
NCBI Accession #	NP_976065.1
NCBI GenBank Nucleotide #	NM_203320.3
UniProt Accession #	Q6W5C0; Q3UNK9
Molecular Weight	10,686 Da
NCBI Official Full Name	C-X-C motif chemokine 3
NCBI Official Synonym Full Names	chemokine (C-X-C motif) ligand 3
NCBI Official Symbol	Cxcl3
NCBI Official Synonym Symbols	Dcip1; Gm1960
NCBI Protein Information	C-X-C motif chemokine 3
UniProt Protein Name	C-X-C motif chemokine 3
UniProt Gene Name	Cxcl3
UniProt Entry Name	CXCL3_MOUSE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.