

Rabbit CD11b Polyclonal Antibody | anti-CD11b antibody

Anti-CD11b Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA265217	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

CD11b; Polyclonal Antibody; Anti-CD11b Antibody; anti-CD11b antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of CD11b protein.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH7.3, 30% glycerol, and 0.01% sodium azide.
Applicable Applications for anti-CD11b antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant protein corresponding to human CD11b. The exact sequence is proprietary.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescent analysis of CD11b staining in THP1 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a AF594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).



IHC (Immunohistochemistry)

Immunohistochemical analysis of CD11b staining in mouse spleen formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



WB (Western Blot)

Western blot analysis of CD11b expression in U937 (A), mouse spleen (B), rat lung (C) whole cell lysates. (Predicted band size: 127 kD; Observed band size: 170 kD)

ADDITIONAL INFORMATION

Related Product Information for anti-CD11b antibody	Rabbit polyclonal antibody to CD11b
Product Categories/Family for anti-CD11b antibody	Primary Antibodies

NCBI AND UNIPROT INFORMATION

NCBI GI #	224831239
NCBI GeneID	3684
NCBI Accession #	NP_001139280.1
NCBI GenBank Nucleotide #	NM_001145808.1
UniProt Accession #	P11215 ; P05555
Molecular Weight	127,179 Da
NCBI Official Full Name	integrin alpha-M isoform 1
NCBI Official Synonym Full Names	integrin, alpha M (complement component 3 receptor 3 subunit)
NCBI Official Symbol	ITGAM
NCBI Official Synonym Symbols	CR3A; MO1A; CD11B; MAC-1; MAC1A; SLEB6
NCBI Protein Information	integrin alpha-M; CR-3 alpha chain; antigen CD11b (p170); leukocyte adhesion receptor MO1; CD11 antigen-like family member B; macrophage antigen alpha polypeptide; cell surface glycoprotein MAC-1 subunit alpha; neutrophil adherence receptor alpha-M subunit
UniProt Protein Name	Integrin alpha-M
UniProt Gene Name	ITGAM
UniProt Synonym Gene Names	CD11B; CR3A
UniProt Entry Name	ITAM_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://www.aaabiotech.com/polyclonal/cd11b-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/265217>