

CD36 recombinant antibody

CD36 Recombinant Monoclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA279074	HEK293F Cell	Human	Immunohistochemistry, ELISA


PRODUCT SYNONYMS

CD36; Monoclonal Recombinant Antibody; CD36 Recombinant Monoclonal Antibody; Platelet glycoprotein 4 (Fatty acid translocase)(FAT)(Glycoprotein IIb)(GPIIb)(Leukocyte differentiation antigen CD36)(PAS IV)(PAS-4)(Platelet collagen receptor)(Platelet glycoprotein IV)(GPIV)(Thrombospondin receptor)(CD antigen CD36); GP3B GP4; CD36 recombinant antibody

PRODUCT SPECIFICATIONS


Host	HEK293F Cell
Reactivity	Human
Clonality	Monoclonal
Isotype	Rabbit IgG
Clone Number	13B12
Purity/Purification	Affinity purified
Form/Format	Liquid; PBS, 150mM NaCl, 0.02% sodium azide, 50% glycerol, pH 7.4.
Applicable Applications for CD36 recombinant antibody	IHC (Immunohistochemistry), ELISA
Immunogen Species	Human
Immunogen	A synthesized peptide derived from Human CD36
Conjugation	Non-conjugated
Research Area	Cancer; Cardiovascular; Immunology; Metabolism; Microbiology; Stem cells
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



IHC (Immunohistochemistry)

IHC image of AAA279074 diluted at 1:100 and staining in paraffin-embedded human liver cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a Goat anti-rabbit polymer IgG labeled by HRP and visualized using 0.25% DAB.



IHC (Immunohistochemistry)

IHC image of AAA279074 diluted at 1:100 and staining in paraffin-embedded human spleen tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a Goat anti-rabbit polymer IgG labeled by HRP and visualized using 0.25% DAB.

NCBI AND UNIPROT INFORMATION

NCBI GI #	115982
NCBI GeneID	948
UniProt Accession #	P16671; Q13966; Q16093; Q8TCV7; Q9BPZ8; Q9BQC2; Q9BZM8; Q9BZN3; D9IX66; D9IX67; D9IX68; D9IX69
Molecular Weight	472
NCBI Official Full Name	Platelet glycoprotein 4
NCBI Official Synonym Full Names	CD36 molecule (thrombospondin receptor)
NCBI Official Symbol	CD36
NCBI Official Synonym Symbols	FAT; GP4; GP3B; GPIV; CHDS7; PASIV; SCARB3; BDPLT10
NCBI Protein Information	platelet glycoprotein 4; GPIIIB; PAS IV; PAS-4 protein; glycoprotein IIIb; cluster determinant 36; fatty acid translocase; platelet glycoprotein IV; scavenger receptor class B, member 3; leukocyte differentiation antigen CD36; CD36 antigen (collagen type
UniProt Protein Name	Platelet glycoprotein 4
UniProt Gene Name	CD36
UniProt Synonym Gene Names	GP3B; GP4; FAT; GPIIIB; GPIV
UniProt Entry Name	CD36_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/monoclonal/cd36-recombinant-antibody-clone-13b12-immunohistochemistry-elisa/279074>