

LTBR recombinant antibody

LTBR Recombinant Monoclonal Antibody

CATALOG # AAA279346	HOST HEK293F Cell	REACTIVITY Human	APPLICATIONS ELISA
-------------------------------	-----------------------------	----------------------------	------------------------------


PRODUCT SYNONYMS

LTBR; Monoclonal Recombinant Antibody; LTBR Recombinant Monoclonal Antibody; CD18 antibody; D12S370 antibody; LT beta R antibody; LTBETAR antibody; Ltbr antibody; Lymphotoxin B receptor antibody; Lymphotoxin beta receptor (TNFR superfamily; member 3) antibody; Lymphotoxin beta receptor antibody; Lymphotoxin-beta receptor antibody; TNF R III antibody; TNF-RIII antibody; TNFC/FACSR antibody; TNFR RP antibody; TNFR superfamily member 3 antibody; TNFR-III antibody; TNFR2 RP antibody; TNFR2RP antibody; TNFR3 antibody; TNFRII antibody; TNFRRP antibody; TNFRSF 3 antibody; TNFRSF3 antibody; TNFR3_HUMAN antibody; Tumor necrosis factor C receptor antibody; Tumor necrosis factor receptor 2 related protein antibody; Tumor necrosis factor receptor 2-related protein antibody; Tumor necrosis factor receptor superfamily member 3 antibody; Tumor necrosis factor receptor superfamily member 3 precursor antibody; Tumor necrosis factor receptor type III antibody; LTBR recombinant antibody

PRODUCT SPECIFICATIONS


Host	HEK293F Cell
Reactivity	Human
Clonality	Monoclonal
Isotype	hIgG1
Clone Number	7G6
Purity/Purification	Affinity chromatography
Form/Format	Liquid; 0.03% Proclin 300, 50% glycerol, 0.01M PBS, pH 7.4.
Applicable Applications for LTBR recombinant antibody	ELISA
Antigen Species	Human
Immunogen	Recombinant Human LTBR protein
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.

IMAGES



Bioactivity

The Binding Activity of Human LTBR with Anti-LTBR Recombinant AntibodyActivity: Measured by its binding ability in a functional ELISA. Immobilized Human LTBR at 2ug/mL can bind Anti-LTBR recombinant antibody. The EC50 is 0.5282-0.6120ng/mL.



Activity

The Binding Activity of Human LTBR with Anti-LTBR Recombinant AntibodyActivity: Measured by its binding ability in a functional ELISA. Immobilized Human LTBR at 2ug/mL can bind Anti-LTBR recombinant antibody. The EC50 is 0.6450-0.8200ng/mL.

ADDITIONAL INFORMATION

Product Categories/Family for LTBR recombinant antibody	Epigenetics and Nuclear Signaling, Cell biology, Signal transduction
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	402534565
NCBI GeneID	4055
NCBI Accession #	NP_001257916.1
NCBI GenBank Nucleotide #	NM_001270987.1
UniProt Accession #	P36941; B7Z1D2; D3DUR2; F5GXE7
Molecular Weight	44,810 Da
NCBI Official Full Name	tumor necrosis factor receptor superfamily member 3 isoform 2
NCBI Official Synonym Full Names	lymphotoxin beta receptor
NCBI Official Symbol	LTBR
NCBI Official Synonym Symbols	CD18; TNFCR; TNFR3; D12S370; TNFR-RP; TNFRSF3; TNFR2-RP; LT-BETA-R; TNF-R-III
NCBI Protein Information	tumor necrosis factor receptor superfamily member 3
UniProt Protein Name	Tumor necrosis factor receptor superfamily member 3
UniProt Gene Name	LTBR
UniProt Synonym Gene Names	D12S370; TNFCR; TNFR3; TNFRSF3; TNF-RIII; TNFR-III
UniProt Entry Name	TNR3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://www.aaabiotech.com/monoclonal/ltr-recombinant-antibody-clone-7g6-elisa/279346>